

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



THE PLANT DISEASE BULLETIN



Issued By

THE PLANT DISEASE SURVEY


Supplement 19

Index to Supplements 14-18

December 31, 1921

BUREAU OF PLANT INDUSTRY

UNITED STATES DEPARTMENT OF AGRICULTURE



INDEX TO SUPPLEMENTS XIV - XVIII, PLANT DISEASE BULLETIN

1921

- Aoacia, pink disease, 110, 289.
 Acacia sp., (see acacia), 289
 Acanthorynchus vaccinii, cranberry,
 99.
 Acer negundo, (see maple), 297.
 platanoides, (see maple), 297.
 rubrum, (see maple), 296.
 saccharinum, (see maple), 296.
 saccharum, (see maple), 297.
 spicatum, (see maple), 297.
 sp., (see maple), 296.
 spp., (see maple), 296.
 Actinomyces scabies, beet, 271.
 potato, 196.
 sugar beet, 266.
 Actinonema rosae, (see Diplocarpon
 rosae), rose, 307.
 Aecidium allenii, buffalo berry, 315.
 convallariae, (see Puccinia sessilis),
 false Solomon's seal, 315.
 gossypii, cotton, 260.
 rhamni, (see Puccinia coronata),
 buckthorn, 290.
 Aesculus glabra, (see buckeye), 290.
 hippocastanum, (see horse-chestnut),
 295.
 Agropyron caninum, ergot, 146, 174.
 stem rust, 174.
 repens, ergot, 146, 174.
 Erysiphe graminis, 175.
 Phyllachora graminis, 175.
 stem rust, 148, 174.
 smithii, ergot, 146, 174.
 tenerum, ergot, 146, 174.
 stem rust, 174.
 Agrostis palustris, ergot, 146, 174.
 stem rust, 174.
 Albugo bliti, amaranth, 308.
 green amaranth, 308.
 candida, hedge mustard, 315.
 marsh cress, 314.
 radish, 245.
 shepherd's-purse, 309.
 turnip, 246.
 ipomoeae-panduranae, morning-
 glory, 305.
 sweet potato, 229.
 portulacae, purslane, 313.
 tragopogonis, Canada thistle, 309.
 salsify, 286, 316.
 Alfalfa, Ascochyta imperfecta, 170.
 bacterial blight, 170.
 dodder, 170.
 downy mildew, 170.
 leaf blight, 170.
 leaf spot, Cercospora, 170.
 Pleosphaerulina, 170.
 Pseudopeziza, 170.
 root knot, 170.
 root rot, Ozonium, 170.
 Pythium, 170.
 Sclerotinia, 170.
 violet, 170.
 rust, 170.
 white top, 170.
 yellow leaf blotch, 170.
 yellows, 170.
 Alkali injury, potato, 213.
 Allium cepa bulbifera, (see onion),
 238.
 tricoccum, (see wild leek), 308.
 Alsike clover, (see clover), 171.
 Alternaria brassicae, brussels
 sprouts, 245.
 cabbage, 243.
 brassicae nigrescens, cantaloupe,
 246.
 cucumber, 253.

- watermelon, 257.
 catalpae, catalpa, 290.
 pecan, 113.
 sp., apple, 50, 60.
 cantaloupe, 248.
 citrus, 111.
 eggplant, 278.
 tobacco, 270.
 watermelon, 257.
 wheat, 147.
Althaea rosea, (see hollyhock), 304.
Amaranth, white rust, 308.
 green, white rust, 308.
Amaranthus blitoides, (see amaranth),
 308.
 retroflexus, (see green amaranth),
 308.
Ambrosia artemisiaefolia, (see rag-
 weed), 308.
 trifida, (see great ragweed), 308.
Amelanchier, rust, 289.
Amelanchier jonesiana, 289.
 mormonica, 289.
 oreophila, 289.
 polycarpa, 289.
 prunifolia, 289.
 sp., (see juneberry), 295.
 spp., (see amelanchier), 289.
 utahensis, 289.
 Amoniated fruit-dieback, citrus,
 110.
Ampelopsis sp., leaf spot, 301.
 powdery mildew, 301, 302.
Amphicarpa monoica, (see hog peanut),
 308.
 Angular leaf spot, barberry, 302.
 bean, 234.
 cotton, 259, 334.
 cucumber, 250.
 currant, 98.
 Angular spot, tobacco, 266, 268.
 Anthracnose, apple, 45.
 ash, 289.
 barley, 154.
 bean, 230, 333.
 blackberry, 103.
 butternut, 290.
 camphor, 290.
 cantaloupe, 247.
 citrus, 106.
 clover, 171.
 cotton, 257, 334.
 cucumber, 251.
 currant, 98.
 eggplant, 278.
 elm, 293.
 fig, 112.
 flax, 169.
 gooseberry, 98.
 grape, 92.
 grapefruit, 107.
 hickory, 295.
 oak, 299.
 oats, 159.
 pepper, 285.
 potato, 210.
 privet, 306.
 raspberry, 100.
 rose, 307.
 rye, 148.
 spinach, 286.
 sycamore, 300.
 tomato, 226.
 watermelon, 254.
 wheat, 145.
 white oak, 298.
Aplanobacter stewartii, corn, 163.
 stizolobii, (see *Bacterium* sp.),
 velvet bean, 173.
 Apple, anthracnose, 45.
 baldwin spot, 51.
 bastard toad flax, 62.
 bitter pit, 51.
 bitter rot, 18, 336.
 black rot, 30, 336.
 blister canker, 28.
 blotch, 13, 336.
 blue mold rot, 49.
 brown bark spot, 60.
 brown rot, 48.
 cankers, *Cytospora*, 60.
 miscellaneous bark, 60.
 Plenodomus, 61.
 cedar rust, 35, 336.
 collar rot, 61.
 crown gall, 40.
 Cytospora leucostoma, 60.
 dieback, 60, 61.
 European canker, 45.
 fire blight, 23, 337.
 fly speck, 42.
 frost injury, 59.
 fruit spot, 44.
 hail injury, 60.

- internal breakdown, 53.
 Jonathan freckle, 60.
 Jonathan spot, 50.
 losses, 317, 336.
 measles, 61.
 miscellaneous fruit rots and spots, 60.
 pink mold rot, 47.
 pink rot, 46.
 powdery mildew, 43.
 root rot, 46.
 Armillaria, 46.
 Clitocybe, 46.
 Ozonium, 46.
 Xylaria, 46.
 rot, *Alternaria*, 60.
 Phytophthora, 60.
 Rhizopus, 47.
 storage, 60.
 rough bark, 60.
 rust, 35, 336.
 scab, 3, 337.
 scald, 54.
 sooty blotch, 42.
 spongy dry rot, 60.
 spot necrosis, 60.
 spray injury, 61.
 stippen, 51.
 Texas root rot, 46.
Valsa ambiens, 61.
 water core, 52.
 winter injury, 55.
 winter killing, 55.
 Apricot, blight, 90.
 brown rot, 90.
 crown gall, 90.
 frost injury, 90.
 gummosis, 90.
 scab, 90.
 shot hole, 90.
 winter injury, 55, 90.
 Arbor vitae, blight, 289.
 Diplodia sp., 289.
 leaf blight, 289.
 winter injury, 289.
Arisaema sp., (see jack-in-the-pulpit), 308.
Armillaria, apple, 46.
 mellea, blackberry, 104.
 cherry, 89.
 maple, 297.
 plum, 85.
 sycamore, 300.
 Arrhenatherum elatius, ergot, 146.
 174.
 Artichoke, *Botrytis* sp., 270.
 gray mold rot, 270.
 Ascochyta caulicola, sweet clover, 172.
 colorata, (see *Mollisia earliana*), strawberry, 97.
 fragariae, strawberry, 97.
 imperfecta, alfalfa, 170.
 pisi, vetch, 172.
 rhei, rhubarb, 286.
 Ash, anthracnose, 289.
 canker, 290.
 leaf rust, 289.
 leaf spot, 289.
 Phyllosticta, 289.
 twig rust, 289.
 witches broom, 289.
 Ash, mountain, (see mountain ash), 290.
 Asparagus, dwarfing, 271.
 rust, 271.
 winter injury, 271.
 Aspergillus niger, onion, 239.
 Aster, china, *Botrytis* sp., 302.
 dodder, 302.
 Septoria leaf spot, 302.
 stem rot, 302.
 wilt, 302.
 yellows, 302.
 Astragalus humistratus, (see locoweed), 309.
 sonorae, (see locoweed), 309.
 sp., (see locoweed), 309.
 Avena fatua, crown rust, 174.
 stem rust, 174.

B

- Bacillus amylovorus*, apple, 23, 337.
 cherry, 89.
 pear, 62.
 quince, 68.
 apivorus, celery, 276.
 atrosepticus, potato, 328.
 carotovorus, cabbage, 244.
 carrot, 272.
 celery, 276.
 iris, 304.
 onion, 239.
 rhubarb, 286.
 tobacco, 269.
 phytophthorus, potato, 207.

- solanacearum, (see Bacterium solanacearum).
 sorghi, sorghum, 169.
 sudan grass, 174.
 tracheiphilus, cantaloupe, 246.
 cucumber, 249.
 pumpkin, 253.
 squash, 253.
 watermelon, 257.
 Bacteria, celery, 276.
 horseradish, 245.
 osage orange, 299.
 Bacterial gummosis, cherry, 89.
 Bacterial spot, lima bean, 234.
 tomato, 226.
 Bacterium angulatum, tobacco, 266.
 268.
 campestre, cabbage, 241.
 turnip, 246.
 citri, citrus, 104.
 coronafaciens, oats, 158.
 glycineum, soybean, 173.
 juglandis, walnut, 113.
 lachrymans, cucumber, 250.
 malvacearum, cotton, 259, 334.
 medicaginis, alfalfa, 170.
 phaseoli, bean, 229, 333.
 pruni, peach, 76.
 plum, 84.
 sojae, soybean, 173.
 solanacearum, eggplant, 278.
 pepper, 285.
 potato, 196.
 tobacco, 269.
 tomato, 222, 338.
 sp., clover, 171.
 corn, 165.
 velvet bean, 173.
 tabacum, tobacco, 268.
 translucens undulosum, wheat, 145.
 tumefaciens, apple, 40.
 apricot, 90.
 blackberry, 104.
 cherry, 89.
 grape, 93.
 mangel-wurzel, 282.
 peach, 81.
 pear, 67.
 pecan, 113.
 plum, 84.
 raspberry, 100.
 rose, 307.
 walnut, 113, 301.
 vascularum, sugar cane, 263.
 vitians, lettuce, 281.
 Bakerophoma sacchari, sugar cane, 264.
 Baldwin spot, apple, 51.
 Banana, heart rot, 112.
 Rhizopus rot, 112.
 wilt, 111.
 Barberry, angular leaf spot, 302.
 rust, 302.
 Barberry, Japanese, leaf spot, 302.
 Bark diseases, plum, 84.
 Bark rot, citrus, 111.
 Barley, anthracnose, 154.
 blight, Gibberella, 153.
 Septoria, 154.
 covered smut, 150, 322.
 ergot, 154.
 loose smut, 151, 322.
 losses, 317, 322.
 net blotch, 153.
 powdery mildew, 154.
 Rhynchosporium blight, 153.
 rust, leaf, 152, 322.
 stem, 152, 322.
 stripe, 154.
 scab, 153.
 scald, 153.
 spot blotch, 153.
 stripe, 151, 322.
 Basswood, leaf spot, 290.
 Bastard toad flax, apple, 62.
 Bean, angular leaf spot, 234.
 anthracnose, 230, 333.
 bacterial blight, 229, 333.
 chlorosis, 234.
 drop, 233.
 leaf spot, 234.
 losses, 317, 333.
 mosaic, 232, 333.
 powdery mildew, 234.
 root knot, 234.
 root rots, 333.
 Fusarium, 233, 234.
 Rhizoctonia, 234.
 rust, 232.
 southern blight, 234.
 Texas root rot, 234.
 watery soft rot, 233.
 Beckmannia erucaeformis, Colletotrichum cereale, 175.
 Beech, Coriolus nigromarginatus, 290.
 Beet, leaf blight, 271.
 root knot, 271.

- scab, 271.
 stem rot, 271.
 Beggarticks, powdery mildew, 309.
 Begonia sp., root gall, 302.
 Berberis regeliana, (see Japanese barberry), 302.
 sp., (see barberry), 302.
 Betula sp., (see birch), 290.
 Bibliography, 316-f.
 Bidens frondosa, (see beggarticks), 309.
 Bindweed, rust, 313.
 Birch, leaf spot, 290.
 Leptothyrium sp., 290.
 Sphaeropsis conglobata, 293.
 Bitter pit, apple, 51.
 Bitter rot, apple, 18, 336.
 cranberry, 99.
 quince, 69.
 Blackberry, anthracnose, 103.
 cane blight, 104.
 crown gall, 104.
 crown rot, 104.
 double blossom, 104.
 gray mold rot, 104.
 leaf spot, 103.
 mushroom root rot, 104.
 orange rust, 103.
 Rhizopus rot, 104.
 spur blight, 104.
 winter injury, 104.
 Blackberry, wild, leaf spot, 315.
 Black boll, cotton, 260.
 Black chaff, wheat, 145.
 Black end, pear, 67.
 Black heart, celery, 276.
 lettuce, 281.
 potato, 213.
 Black knot, cherry, 87.
 choke cherry, 292.
 plum, 83.
 Black leaf speck, cabbage, 244.
 Black leaf spot, cabbage, 243.
 brussels sprouts, 245.
 Black-leg, cabbage, 242.
 collard, 245.
 potato, 207, 328.
 rutabaga, 246.
 Black mold, spinach, 287.
 Black mold rot, cantaloupe, 248.
 onion, 239.
 peach, 78.
 Black pit, pecan, 113.
 Black root, radish, 246.
 sugar beet, 266.
 Black root rot, tobacco, 269.
 Black rot, apple, 30, 336.
 cabbage, 241.
 cranberry, 99.
 cucumber, 251.
 grape, 91.
 pear, 66.
 quince, 69.
 sweet potato, 227, 228, 332.
 turnip, 246.
 Black rust, tobacco, 269.
 Black spot, elm, 293.
 peach, 76.
 plum, 84.
 rose, 307.
 tomato, 227.
 Blast, oats, 159.
 rice, 165.
 Blight, arbor vitae, 289.
 Ascochyta, vetch, 172.
 bacterial, alfalfa, 170.
 bean, 229, 333.
 lima bean, 234.
 osage orange, 299.
 pea, 283.
 sorghum, 169.
 soybean, 173.
 sudan grass, 174.
 tomato, 222.
 walnut, 113.
 Botrytis, jonquil, 304.
 sunflower, 176.
 Coniothyrium, cherry, 89.
 Coryneum, apricot, 90.
 cherry, 89.
 peach, 81.
 plum, 84.
 Endothia, chestnut, 291.
 Fusarium, potato, 188.
 wheat, 141.
 Gibberella, barley, 153.
 oats, 159.
 rye, 143.
 wheat, 138.
 Helminthosporium, wheat, 142.
 Mycosphaerella, pea, 283.
 pear, 62.
 Pestalozzia, arbor vitae, 289.
 Phoma, cotton, 259.
 Phyllosticta, pecan, 113.
 physiological, pine, 299.

- Rhynchosporium, barley, 153.
 Bromus inermis, 153.
 Dactylis glomerata, 153.
 rye, 153.
 Sclerotium, potato, 211.
 tomato, 227.
 Septoria, barley, 154.
 pea, 284.
 tomato, 338.
 Sphaeropsis, juniper, 296.
 spinach, 286.
 Synchytrium, hog peanut, 308.
 winter, tomato, 225.
 Blister blight, hedge mustard, 315.
 Blister canker, apple, 28.
 Blister rust, currant, 98.
 Blossom blight, cherry, 89.
 pear, 67.
 plum, 84.
 tomato, 226.
 Blossom drop, tomato, 227.
 Blossom end rot, tomato, 223.
 watermelon, 256.
 Blotch, apple, 13, 336.
 cranberry, 99.
 Blue mold rot, apple, 49.
 cantaloupe, 248.
 cherry, 89.
 citrus, 109.
 grape, 94.
 onion, 239.
 peach, 81.
 pear, 67.
 plum, 85.
 Blue stem, raspberry, 101.
 Blue vervain, (see vervain), 316.
 Boll rot, cotton, 260.
 Diplodia, cotton, 260.
 Fusarium, cotton, 260.
 Botryosphaeria ribis, currant, 98.
 Botrytis cinerea, geranium, 303.
 lettuce, 279.
 primrose, 306.
 douglasii, sequoia, 300.
 onion, 238.
 paeoniae, peony, 305.
 sp., artichoke, 270.
 blackberry, 104.
 cabbage, 243.
 carnation, 302.
 celery, 277.
 cherry, 89.
 china aster, 302.
 clover, 172.
 eucalyptus, 294.
 golden seal, 311.
 grape, 93.
 jonquil, 304.
 onion, 237, 238, 239.
 peanut, 285.
 pear, 67.
 raspberry, 103.
 strawberry, 95.
 sunflower, 176.
 tomato, 227.
 Bouncing bet, leaf spot, 315.
 Box, *Macrophoma candolei*, 302.
 Bremia lactucae, lettuce, 279.
 Brodiaea douglasii, (see wild hyacinth), 309.
 Bromus condensatus, ergot, 147, 175.
 inermis, ergot, 146, 175.
 Rhynchosporium secalis, 153, 175.
 scald, 153.
 sp., smut, 174.
 spp., ergot, 147.
 Brown bark spot, apple, 60.
 pear, 67.
 Brown blotch, pear, 67.
 Brown rot, apple, 48.
 apricot, 90.
 cherry, 88.
 citrus, 111.
 juneberry, 295.
 peach, 69, 335.
 pear, 67.
 plum, 82.
 quince, 69.
 Brown spot, corn, 164.
 Brown wood rot, elm, 294.
 Brussels sprouts, black leaf spot, 245.
 ring spot, 245.
 Buckeye, leaf blotch, 290.
 Buckeye rot, tomato, 224.
 Buckthorn, rust, 290.
 Bud rot, cocoonut, 114.
 Buffalo berry, rust, 315.
 Bulb rot, iris, 304.
 onion, 238.
 Bulgaria polymorpha, scarlet oak, 298.
 Bunt, wheat, 116, 318.
 Burning, oats, 160.
 Bursa bursa-pastoris, (see shepherd's purse), 309.

- Buttercup, rust, 314.
 Butternut, (see also walnut), 113.
 anthracnose, 290.
Buxus sempervirens, (see box), 302.

C

- Cabbage, black leaf speck, 244.
 black leaf spot, 243.
 black-leg, 242.
 black rot, 241.
 club root, 239.
 damping off, 244.
 downy mildew, 244.
 drop, 244.
 gray mold rot, 243.
 malnutrition, 245.
 ring spot, 244.
 root knot, 244.
 slimy soft rot, 244.
 southern wilt, 244.
 stem rot, 244.
 yellows, 240.
- Cacao, pink disease, 110, 316.
- Caecoma confluens*, (see *Melampsora confluens*), currant, 314.
 gooseberry, 310.
 Watson's willow, 301.
 wild gooseberry, 310.
- occidentalis*, (see *Melampsora albertensis*), poplar, 300.
- Calamagrostis canadensis*, *Epichloe typhina*, 175.
 ergot, 146, 175.
 Phyllachora graminis, 175.
 sp., ergot, 175.
- Caliciopsis pinnae*, eastern white pine, 299.
- California scaly bark, citrus, 110.
- Callistephus chinensis*, (see shina aster), 302.
- Camphor, anthracnose, 290.
 canker, 290.
- Canada thistle, white rust, 309.
 wilt, 176.
- Cane blight, *Botryosphaeria*, currant, 98.
 Leptosphaeria, blackberry, 104.
 raspberry, 101.
 rose, 307.
- Cane fruits, 99.
 insect injuries, 99.
- Canker, camphor, 290.
 citrus, 104.
 Cytospora, apple, 60.
 English oak, 298.
 willow, 301.
 Diplodia, camphor, 290.
 fig, 112.
 flax, 167.
 miscellaneous bark, apple, 60.
 Myxosporium, bark, pear, 67.
 Nectria, horse chestnut, 295.
 Nummularia, mountain ash, 290.
 pine, 300.
 Plenodomus, apple, 61.
- Cannabis sativa*, (see hemp), 309.
- Cantaloupe, anthracnose, 247.
 bacterial soft rot, 248.
 bacterial wilt, 246.
 black mold rot, 248.
 blue mold rot, 248.
 downy mildew, 249.
 fruit rot, 247.
 green mold rot, 248.
 leaf blight, 246.
 mosaic, 247.
 Rhizopus rot, 248.
 root knot, 249.
 southern wilt, 249.
 wilt, *Fusarium*, 249.
- Capnodium pini*, eastern white pine, 299.
- Carnation, root knot, 302.
 root rot, 302.
 rust, 302.
 stem rot, 302.
 wilt, 302.
- Carrot, root knot, 272.
 rot, 272.
 watery soft rot, 271.
- Carya* sp., (see hickory), 295.
- Castanea dentata*, (see chestnut), 291.
- Castor bean, root rot, 314.
- Catalpa, heart rot, 291.
 leaf spot, 291.
 Alternaria, 290.
 Macrosporium, 291.
 Phyllosticta, 290.
 leaf wilt, 291.
 Phyllosticta, 291.
 powdery mildew, 291.
 sap rot, 291.
 wilt, 291.
- Catalpa bignonioides*, (see catalpa), 291.
 bungei, (see catalpa), 291.

- sp., (see catalpa), 290.
 Cauliflower, (see cabbage), 239.
 Cedar rust, apple, 35, 336.
 Celastrus scandens, leaf spot, 303.
 Celery, bacterial leaf spot, 277.
 black heart, 276.
 crown rot, 276.
 early blight, 274.
 foot rot, 275.
 gray mold rot, 277.
 heart rot, 276.
 late blight, 272.
 Rhizoctonia, 277.
 root knot, 277.
 root rot, 277.
 watery soft rot, 275.
 wilted condition, 277.
 yellows, 276.
 Celtis sp., (see hackberry), 294.
 Center rot, citrus, 111.
 Cephalosporium sacchari, sugar cane, 264.
 Cephalothecium roseum, apple, 46, 47.
 Ceratophorum ulmicolum, elm, 293.
 Cercospora althaeina, hollyhock, 304.
 angulata, currant, 98.
 apii, celery, 274.
 avicularis, knotweed, 312.
 Polygonum erectum, 313.
 beticola, beet, 271.
 sugar beet, 265.
 swiss chard, 287.
 canescens, bean, 234.
 circumscissa, cherry, 89.
 peach, 81.
 citrullina, watermelon, 257.
 cruenta, cowpea, 172.
 lima bean, 235.
 gossypina, cotton, 260.
 medicaginis, alfalfa, 170.
 personata, peanut, 285.
 phiagina, phlox, 305.
 rosicola, rose, 307.
 sp., daisy, 303.
 lilac, 305.
 rice, 166.
 tobacco, 269.
 viticola, grape, 93.
 Cereals, 116.
 Cerrrena unicolor, white oak, 293.
 Ceutospore lunata, cranberry, 99.
 Chaetochloa italica, Piricularia grisea, 175.
 Sclerospora graminicola, 175.
 lutescens, Sclerospora graminicola, 175.
 smut, 174.
 viridis, Sclerospora graminicola, 175.
 Chamaesyce rugulosa, (see spurge), 309.
 Charcoal rot, sweet potato, 229.
 Chenopodium album, (see pigweed), 309.
 Cherry, bacterial gummosis, 89.
 black knot, 87.
 blight, Coniothyrium, 89.
 Coryneum, 89.
 blossom blight, 89.
 blue mold rot, 89.
 brown rot, 88.
 crown gall, 89.
 fire blight, 89.
 frost injury, 89.
 gray mold rot, 89.
 gummosis, 89.
 leaf spot, 86.
 mushroom root rot, 89.
 powdery mildew, 88.
 Rhizopus rot, 89.
 scab, 89.
 shot hole, 89.
 winter injury, 55, 89.
 witches broom, 89.
 Chestnut, blight, 291.
 late flowering, 292.
 leaf spot, 292.
 winter injury, 55.
 Chestnut oak, (see oak), 298.
 China aster, (see aster), 302.
 Chlorosis, bean, 234.
 peach, 81.
 potato, 214.
 strawberry, 97.
 Choke cherry, black knot, 292.
 Coriulus sericeohirsutus, 292.
 leaf spot, 292.
 Plowrightia sp., 292.
 powdery mildew, 292.
 Sclerotinia sp., 292.
 Chrysanthemum hortorum, (see chrysanthemum), 303.
 Chrysanthemum, leaf spot, 303.
 Septoria, 303.
 powdery mildew, 303.
 sooty mold, 303.
 Chrysophlyctis endobiotica, potato, 190.

- Chrysopsis horrida* (see golden aster), 309.
Cinnamomum camphorae, (see camphor), 290.
 Cinquefoil, rust, 313.
Cirsium arvense, (see Canada thistle), 309.
Citrus, ammoniated fruit-dieback, 110.
 anthracnose, 106.
 bark rot, 111.
 blue mold rot, 109.
 brown rot, 111.
 California scaly bark, 110.
 canker, 104.
 center rot, 111.
 citrus scab, 108.
 dry rot, 110.
 Florida scaly bark, 110.
 foot rot, 109.
 greasy spot, 111.
 gummosis, 110.
 melanose, 106.
 mottled leaf, 111.
 nailhead rust, 110.
 pink disease, 110.
 psorosis, 110.
 stem end rot, 108.
 wither tip, 106, 107.
Citrus aurantium, (see citrus), 110.
 nobilis, (see citrus), 111.
 nobilis unshiu, (see citrus), 110.
 sinensis, (see citrus), 110.
 trifoliata, (see citrus), 111.
Citrus scab, citrus, 108.
Cladosporium carpophilum, apricot, 90.
 cherry, 89.
 peach, 72.
 plum, 84.
 citri, citrus, 108.
 cucumerinum, cucumber, 252.
 fulvum, tomato, 226.
 juglandis, walnut, 301.
 macrocarpum, spinach, 287.
 paeoniae, peony, 305.
 sp., cantaloupe, 248.
 peony, 305.
Claviceps paspali, *Paspalum* sp., 174.
 purpurea, *Agropyron caninum*, 146, 174.
 repens, 146, 174.
 smithii, 146, 174.
 tenerum, 146, 174.
 Agrostis palustris, 146, 174.
 Arrhenatherum elatius, 146, 174.
 barley, 154.
 Bromus condensatus, 147, 175.
 inermis, 146, 175.
 spp., 147.
 Calamagrostis canadensis, 146, 175.
 sp., 175.
 Dactylis glomerata, 146, 175.
 Elymus canadensis, 146, 175.
 virginicus, 146, 175.
 Festuca elatior, 146, 175.
 sp., 146, 175.
 Glyceria fluitans, 146.
 Hordeum jubatum, 146, 175.
 nodosum, 175.
 vulgare, 146.
 Lolium sp., 147, 175.
 Panicularia fluitans, 175.
 Phleum pratense, 146, 175.
 Poa compressa, 146, 175.
 pratensis, 147, 175.
 rye, 149, 320.
 Secale cereale, 147.
 Stipa viridula, 175.
 wheat, 146.
Clitocybe, apple, 46.
 Clover, anthracnose, 171.
 dodder, 172.
 gray mold, 172.
 leaf spot, bacterial, 171.
 Macrosporium, 171.
 Pseudopeziza, 171.
 mosaic, 171.
 nematode disease, 172.
 powdery mildew, 171.
 root rot, 172.
 rust, 172.
 sooty spot, 171.
 stem rot, 172.
 wilt, 172.
 Club root, cabbage, 239.
 kohl rabi, 245.
 rutabaga, 246.
 turnip, 246.
Coccomyces hiemalis, cherry, 86.
 lutescens, choke cherry, 292.
 prunophorae, plum, 84.
 sp., plum, 84.
 Coconut, bud rot, 114.
 red ring, 114.
Coffea sp., (see coffee), 309.
 Coffee, pink disease, 110, 309.
Cogswellia sp., (see cous), 309.

- Coleosporium ribicola*, currant, 314.
 solidaginis, goldenrod, 304.
 vernoniae, ironweed, 316.
 Collard, black-leg, 245.
 Collar rot, apple, 61.
Colletotrichum atramentarium, potato, 210.
 cereale, barley, 154.
 Beckmannia erucaeformis, 175.
 oats, 159.
 rye, 148.
 wheat, 145.
 faloatum, sugar cane, 264.
 gloeosporioides, citrus, 106.
 gossypii, cotton, 334.
 lagenarium, cantaloupe, 247.
 cucumber, 251.
 watermelon, 254.
 lindemuthianum, bean, 230, 333.
 lineola, sorghum, 169.
 lini, flax, 169.
 nigrum, pepper, 285.
 pecan, 113.
 phomoides, tomato, 226.
 solanicolum, (see *C. atramentarium*), potato, 210.
 sp., Scotch pine, 299.
 spinaciae, spinach, 286.
 trifolii, clover, 171.
Comandra pallida, apple, 62.
 Cone flower, rust, 307.
Coniothyrium fuckelii, rose, 307.
 sp., cherry, 89.
Convolvulus sepium, (see hedge bindweed), 310.
Corioloopsis occidentalis, elm, 294.
Coriolus nigromarginatus, beech, 290.
 sericeohirsutus, choke cherry, 292.
 versicolor, short-leaf pine, 299.
 Corn, bacterial wilt, 163.
 brown spot, 164.
 downy mildew, 165.
 ear rot, *Diplodia*, 165.
 Fusarium, 162, 326.
 Gibberella, 162.
 head smut, 164.
 leaf blight, 165.
 Helminthosporium, 165.
 leaf sheath spot, 165.
 leaf spot, 165.
 losses, 317, 326.
 mosaic, 164.
 Physoderma, 164, 326.
 root rot, bacterial, 165.
 Fusarium, 162, 326.
 Gibberella, 162.
 rust, 164.
 leaf, 326.
 smut, 160, 326.
 stalk rot, bacterial, 165.
 Fusarium, 162.
 Gibberella, 162.
Cornus macrophylla, (see dogwood), 292.
 sp., (see dogwood), 292.
Corticium salmonicolor, acacia, 110, 289.
 cacao, 110, 316.
 citrus, 110.
 coffee, 110, 309.
 rubber, 110.
 vagum solani, cabbage, 244.
 potato, 193.
 strawberry, 97.
 sugar beet, 266.
Corylus sp., (see hazelnut), 294.
Coryneum beijerinckii, apricot, 90.
 cherry, 89.
 peach, 81.
 plum, 84.
 tumoricolum, elm, 293.
 Cotton, angular leaf spot, 259, 334.
 anthracnose, 257, 334.
 black boll, 260.
 boll rots, 260.
 Diplodia, 260.
 Fusarium, 260.
 damping off, 260.
 leaf spot, 260.
 losses, 317, 334.
 malnutrition, 259.
 Phoma blight, 259.
 root knot, 259, 334.
 root rot, 260.
 rust, 260.
 sore-shin, 260.
 wilt, 258, 334.
 Cous, rust, 309.
 Covered kernel smut, sorghum, 169.
 Covered smut, barley, 150, 322.
 oats, 324.
 Cowpea, leaf spot, *Cercospora*, 172.
 Phyllosticta, 172.
 mosaic, 173.
 root knot, 173.
 root rot, 173.
 rust, 173.
 wilt, 173.

- Cracking of fruit, pear, 67.
- Cranberry, bitter rot, 99.
 black rot, 99.
 blotch, 99.
 early rot, 99.
 end rot, 99.
 false blossom, 99.
 hard rot, 99.
 red leaf spot, 99.
 ripe rot, 99.
 scald, 99.
 tip blight, 99.
- Crataegus* sp., (see hawthorn), 294.
- Crimson clover, (see clover), 171.
- Cronartium comandrae*, (see *C. pyriforme*), rock pine, 299.
filamentosum, rock pine, 299.
occidentale, currant, 314.
 gooseberry, 310.
 pinon pine, 299.
pyriforme, rock pine, 299.
ribicola, currant, 98.
Ribes americanum, 316-a.
grossularia, 316-a.
nigrum, 316-a.
vulgare, 316-a.
- Crookneck disease, tobacco, 270.
- Crop losses, 317.
- Crown canker, rose, 307.
- Crown gall, apple, 40.
 apricot, 90.
 blackberry, 104.
 cherry, 89.
 grape, 93.
 mangel-wurzel, 282.
 peach, 81.
 pear, 67.
 pecan, 113.
 plum, 84.
 raspberry, 100.
 rose, 307.
 walnut, 113, 301.
- Crown rot, blackberry, 104.
 celery, 276.
 rhubarb, 286.
 strawberry, 97.
- Crown rust, *Avena fatua*, 174.
 oats, 157, 324.
- Crucifers, 239.
- Cryptosporella viticola*, grape, 93.
- Cucumber, angular leaf spot, 250.
 anthracnose, 251.
 bacterial soft rot, 253.
 black rot, 251.
 downy mildew, 251.
 Fusarium rot, 253.
 leaf spot, 253.
 mosaic, 250.
 powdery mildew, 253.
 root knot, 253.
 root rot, 253.
 scab, 252.
 soft rot, 253.
 watery soft rot, 253.
 wilt, bacterial, 249.
 Fusarium, 253.
- Cucurbits, 246.
- Curly dwarf, potato, 213.
- Curly top, sugar beet, 265.
- Currant, angular leaf spot, 98.
 anthracnose, 98.
 cane blight, 98.
 leaf spot, 98.
 rust, 98, 314.
 white pine blister rust, 98, 316-a.
 winter injury, 98.
- Currant, black, rust, 314.
 white pine blister rust, 316-a.
- Currant, wild black, rust, 314.
- Cuscuta* sp., china aster, 302.
 gooseberry, 98.
 potato, 213.
 raspberry, 101.
 spp., alfalfa, 170.
 clover, 172.
 onion, 238.
- Cylindrosporium padi*, apricot, 90.
scoparium, rose, 307.
 sp., willow, 301.
ulmicolum, (see *Mycosphaerella ulmi*), elm, 293.
- Cyperus* sp., potato, 213
- Cystopus convolvulacearum*, (see *Albugo ipomoea-panduranae*), morning-glory, 305.
- Cystospora batata*, sweet potato, 229, 332.
- Cytospora*, apple, 60, 61.
 chrysosperma, English oak, 298.
 willow, 301.
 leucostoma, apple, 60.
 rubescens, apple, 61.

D

Dactylis glomerata, ergot, 146, 175.

- Rhynchosporium secalis*, 153, 175.
 scald, 153.
Dahlia, powdery mildew, 303.
Dahlia sp., (see dahlia), 303.
Daisy fleabane, rust, 310.
Daisy, leaf spot, 303.
 Damping off, cabbage, 244.
 cotton, 260.
 onion, 238.
 pepper, 285.
 tobacco, 270.
 tomato, 226.
Dandelion, leaf spot, 316.
 powdery mildew, 316.
 rust, 316.
Date palm, leaf spot, 305.
Dead arm, grape, 93.
Delphinium, leaf spot, 303.
 powdery mildew, 303.
 sp., (see delphinium), 303.
Dendrophoma obscurans, strawberry, 97.
Dewberry, (see blackberry), 103.
 rust, 315.
Diachea lucopoda, strawberry, 98.
Dianthus caryophyllus, (see carnation),
 302.
Diaporthe batatatis, sweet potato, 228.
 phaseolorum, lima bean, 234.
Dicaeoma urticae, (see *Puccinia urticae*),
 nettle, 316.
Didymellina iridis, iris, 304.
Die-back, apple, 60, 61.
 peach, 81.
 pecan, 113.
Diplocarpon rosae, rose, 307.
Diplodia gossypina, cotton, 260.
 longispora, chestnut oak, 298.
 natalensis, citrus, 108, 111.
 sp., arbor vitae, 289.
 camphor, 290.
 corn, 165.
 watermelon, 255.
 tubericola, sweet potato, 229.
Dock, rust, 315.
Dodder, alfalfa, 170.
 china aster, 302.
 clover, 172.
 gooseberry, 98.
 onion, 233.
 potato, 213.
 raspberry, 101.
Dogwood, leaf spot, 292.
 powdery mildew, 292.
- Tubercularia* sp., 292.
Dothidella ulmea, (see *Gnomonia ulmea*),
 elm, 293.
 Double blossom, blackberry, 104.
Downy mildew, alfalfa, 170.
 cabbage, 244.
 cantaloupe, 249.
 corn, 165.
 cucumber, 251.
 grape, 92.
 great ragweed, 308.
 lettuce, 279.
 lima bean, 234.
 matrimony vine, 305.
 onion, 237.
 radish, 245.
 spinach, 286.
 sugar beet, 266.
 turnip, 246.
 wild balsam apple, 310.
Drop, bean, 233.
 cabbage, 244.
 horse chestnut, 295.
 lettuce, 278.
Drought breakdown, privet, 306.
Drought injury, pear, 67.
Drought spots, plum, 84.
Dry rot, citrus, 110.
 sugar beet, 266.
 sweet potato, 228.
Dry top rot, sugar cane, 265.
Dwarfing, asparagus, 271.
 potato, 213.
Dying back, walnut, 301.

E

- Earlea speciosa*, rose, 307.
Early blight, celery, 274.
 potato, 187, 330.
 tomato, 219, 338.
Early rot, cranberry, 99.
Ear rot, *Diplodia*, corn, 165.
 Fusarium, corn, 162, 326.
 Gibberella, corn, 162.
Eastern white pine, (see pine), 299.
Echinocystis lobata, (see wild balsam
 apple), 310.
Eggplant, *Alternaria* sp., 278.
 anthracnose, 278.
 fruit rot, 277.
 root rot, 278.
 wilt, bacterial, 278.

- Verticillium, 278.
 Elder, powdery mildew, 292.
 Elm, anthracnose, 293.
 black spot, 293.
 brown wood rot, 294.
 heart rot, 294.
 leaf burning, 294.
 leaf scab, 293.
 leaf spot, Ceratophorum, 293.
 Coryneum, 293.
 Excipula, 294.
 Gloeosporium, 294.
 Gnomonia, 293.
 Mycosphaerella, 293.
 Septogloeum, 293.
 Melasmia ulmicola, 294.
 Phoma cincta, 294.
 Phyllosticta confertissima, 294.
 ulmicola, 294.
 Rhytisma ulmi, 294.
 root rot, 294.
 Sphaeria apertiuscula, 294.
 white elm canker, 292.
 Elymus canadensis, ergot, 146, 175.
 Phyllachora graminis, 175.
 stem rust, 174.
 robustus, Epichloe typhina, 175.
 stem rust, 174.
 sp., smut, 174.
 striatus, Phyllachora graminis, 175.
 virginicus, ergot, 146, 175.
 Phyllachora graminis, 175.
 Endothia parasitica, chestnut, 291.
 End rot, cranberry, 99.
 Engelmann spruce, (see spruce), 300.
 English oak, (see oak), 298.
 Entyloma australe, ground cherry, 312.
 Epichloe typhina, Calamagrostis cana-
 densis, 175.
 Elymus robustus, 175.
 Ergot, Agropyron caninum, 146, 174.
 repens, 146, 174.
 smithii, 146, 174
 tenerum, 146, 174.
 Agrostis palustris, 146, 174.
 Arrhenatherum elatius, 146, 174.
 barley, 154.
 Bromus condensatus, 147, 175.
 inermis, 146, 175.
 spp., 147.
 Calamagrostis canadensis, 146, 175.
 sp., 175.
 Dactylis glomerata, 146, 175.
 Elymus canadensis, 146, 175.
 virginicus, 146, 175.
 Festuca elatior, 146, 175.
 sp., 146, 175.
 Glyceria fluitans, 146.
 Hordeum jubatum, 146, 175.
 nodosum, 175.
 vulgare, 146.
 Lolium sp., 147, 175.
 Panicularia fluitans, 175.
 Paspalum sp., 174.
 Phleum pratense, 146, 175.
 Poa compressa, 146, 175.
 pratensis, 147, 175.
 rye, 149, 320.
 Secale cereale, 147.
 Stipa viridula, 175.
 wheat, 146.
 Erigeron canadensis, (see horseweed),
 310.
 ramosus, (see daisy fleabane), 310.
 Eriogonum, rust, 310.
 spp., (see eriogonum), 310.
 Erysiphe ambrosiae, (see E. cichora-
 cearum), ragweed, 308.
 cichoracearum, chrysanthemum, 303.
 cucumber, 253.
 dahlia, 303.
 golden glow, 303.
 great ragweed, 308.
 plantain, 312.
 ragweed, 308.
 sunflower, 176.
 tarweed, 310.
 vervain, 316.
 communis, (see E. polygoni), even-
 ing primrose, 311.
 graminis, Agropyron repens, 175.
 barley, 154.
 Hordeum jubatum, 175.
 Poa pratensis, 175.
 rye, 148.
 wheat, 147.
 lamprocarpa, (see E. cichoracearum),
 plantain, 312.
 tarweed, 310.
 polygoni, bean, 234.
 clover, 171.
 evening primrose, 311.
 knotweed, 312.
 lima bean, 235.
 pea, 284.
 Polygonum erectum, 313.

- polygona amphibii*, knotweed, 312.
 sp., delphinium, 303.
 pea, 284.
verbenae, (see *E. cichoracearum*),
 vervain, 316.
Eucalyptus, *Botrytis* sp., 294.
 diversicolor, (see *eucalyptus*), 294.
Euphorbia, rust, 310.
Euphorbia sp., (see *euphorbia*), 310.
 European canker, apple, 45.
 European gooseberry, rust, 314.
 Evening primrose, powdery mildew, 311.
 rust, 312.
Evonymus, leaf spot, 303.
 sp., (see *evonymus*), 303.
 Excessive transpiration, pear, 67.
Excipula ulmicola, elm, 294.
Exoascus cerasi, (see *Taphrina cerasi*),
 ash, 289.
 cerasus, cherry, 89.
 communis, plum, 83.
 deformans, peach, 73, 335.
 pruni, plum, 83.
Exobasidium vaccinii, cranberry, 99.
 huckleberry, 304.
Exosporium concentricum, *evonymus*, 303.
 privet, 306.
 palmivorum, date palm, 305.
 Eye spot, sugar cane, 265.
- F
- Fabraea maculata*, pear, 65.
 quince, 68.
Fagus americana, (see beech), 290.
 False blossom, cranberry, 99.
 False Solomon's seal, rust, 315.
 Fertilizer burn, tobacco, 270.
Festuca elatior, ergot, 146, 175.
 sp., ergot, 175.
 Field crops, 177.
 Fig, anthracnose, 112.
 canker, 112.
 rust, 112.
 Figwort, leaf spot, 315.
 Fiji disease, sugar cane, 262.
 Fire blight, apple, 23, 337.
 cherry, 89.
 pear, 62.
 quince, 68.
 Flag smut, wheat, 126.
 Flax, anthracnose, 169.
 canker, 167.
 rust, 168.
 wilt, 166.
 Florida scaly bark, citrus, 110.
 Fly speck, apple, 42.
Fomes applanatus, maple, 297.
 pomaceus, plum, 84.
 rimosus, (see *Polyporus rimosus*),
 black locust, 296.
 Foot rot, celery, 275.
 citrus, 109.
 rye, 142.
 sweet potato, 229, 332.
 wheat, 142, 144.
 Forage crops, 170.
 Forest trees, 288.
 bibliography, 316-f.
 winter injury, 57.
Fraxinus americana, (see ash), 289.
 sp., (see ash), 289.
 viridis, (see ash), 289.
 Frenching, tobacco, 269.
Frommea obtusa, cinquefoil, 313.
 Frost blister, rose, 307.
 Frost injury, apple, 59.
 apricot, 90.
 cherry, 89.
 mangel-wurzel, 282.
 peach, 81.
 pear, 67.
 plum, 85.
 walnut, 301.
 Fruit crops, 1.
 Fruit drop, plum, 85.
 Fruit rot, *Fusarium*, cantaloupe, 247.
 Macrosporium, pepper, 285.
 miscellaneous, apple, 60.
 Phomopsis, eggplant, 277.
 Fruit spot, apple, 44.
Fuligo varians, strawberry, 98.
Fumago sp., chrysanthemum, 303.
Fusaria, bean, 234.
Fusarium affine, tobacco, 270.
 batatatis, sweet potato, 227, 332.
 celery, 276.
 conglutinans, cabbage, 240.
 kale, 245.
 conglutinans *callistephi*, china
 aster, 302.
 cubense, banana, 111.
 hyperoxysporum, sweet potato, 227,
 332.
 lini, flax, 166.
 lycopersici, tomato, 217, 338.

- malli, onion, 237.
 martii phaseoli, bean, 233.
 niveum, cucumber, 253.
 watermelon, 256.
 onion, 238.
 oxysporum, potato, 188, 330.
 rubi, blackberry, 104.
 sp., asparagus, 271.
 cantaloupe, 247, 249.
 carnation, 302.
 celery, 276.
 china aster, 302.
 clover, 172.
 cotton, 260.
 cowpea, 173.
 cucumber, 253.
 eggplant, 278.
 pea, 284.
 pepper, 285.
 potato, 210.
 spinach, 287.
 squash, 254.
 sweet clover, 172.
 watermelon, 256.
 wheat, 318.
 spp., corn, 162, 326.
 pea, 284.
 tomato, 219.
 wheat, 142.
 sweet potato, 228.
 vasinfectum, cotton, 258, 334.
 okra, 282.
 wheat, 141.
Fusicladium effusum, pecan, 113.
Fusicoccum putrefaciens, cranberry, 99.
- G
- Gaylussacia baccata*, (see huckle-
 berry), 304.
Geranium, gray mold, 303.
 stem rot, 303.
 maculatum, (see wild cranesbill),
 310.
 sp., (see geranium), 303.
Gibberella saubinetii, barley, 153.
 oats, 159.
 rye, 148.
 wheat, 138, 142.
 spp., corn, 162.
Ginseng, leaf spot, 312.
 rot, 312.
 rust, 312.
Gladiolus, hard rot, 303.
 sp., (see gladiolus), 303.
Gloeosporium ampelophagum, grape, 92.
 apocryptum, maple, 296.
 aridum, ash, 289.
 berberidis, Japanese barberry, 302.
 camphorae, camphor, 290.
 canadense, white oak, 298.
 caryae, (see *Gnomonia caryae*),
 hickory, 295.
 caulivorum, clover, 171.
 cingulatum, privet, 306.
 decolorans, maple, 296.
 limetticolum, lime, 107.
 melongenae, eggplant, 278.
 nervisequum, (see *Gnomonia veneta*),
 oak, 299.
 sycamore, 300.
 oblongisporum, maple, 296.
 quercinum, white oak, 298.
 rosae, rose, 307.
 sp., basswood, 290.
 maple, 296.
 oak, 299.
 ulmeum, (see *Gnomonia ulmea*),
 elm, 293.
 ulmicolum, elm, 294.
Glomerella cingulata, apple, 18, 336.
 fig, 112.
 quince, 69.
 cingulata vaccinii, cranberry, 99.
 gossypii, cotton, 257.
 Glume blotch, wheat, 146.
Glyceria fluitans, ergot, 146.
Gnomonia caryae, hickory, 295.
 iliau, sugar cane, 264.
 leptostyla, butternut, 290.
 ulmea, elm, 293.
 veneta, oak, 299.
 sycamore, 300.
 white oak, 297.
Gnomoniella coryli, hazelnut, 294.
 Golden aster, rust, 309.
 Golden glow, powdery mildew, 303.
 rust, 303.
 Goldenrod, rust, 304.
 Golden seal, mosaic, 311.
 stem rot, 311.
 Gooseberry, anthracnose, 98.
 dodder, 98.
 leaf spot, 98.
 powdery mildew, 98.

- rust, 98, 310.
 winter injury, 98.
 Gooseberry, European, rust, 314.
 Gooseberry, prickly, rust, 314.
 Gooseberry, smooth, rust, 314.
 Gooseberry, wild, rust, 310.
 Grape, anthracnose, 92.
 black rot, 91.
 blue mold rot, 94.
 crown gall, 93.
 dead arm, 93.
 downy mildew, 92.
 gray mold rot, 93.
 hard berry, 93.
 leaf spot, 93.
 powdery mildew, 92.
 Rhizopus rot, 93.
 root rot, 93.
 winter injury, 93.
 Grapefruit, (see citrus), 104.
 Graphiola phoenicis, palm, 305.
 Grasses, 174.
 Gray mold rot, artichoke, 270.
 blackberry, 104.
 cabbage, 243.
 celery, 277.
 cherry, 89.
 clover, 172.
 geranium, 303.
 grape, 93.
 lettuce, 279.
 onion, 239.
 pear, 67.
 primrose, 306.
 raspberry, 103.
 strawberry, 95.
 tomato, 227.
 Greasy spot, citrus, 111.
 Great ragweed, (see ragweed), 308.
 Green mold rot, cantaloupe, 248.
 Grindelia squarrosa, (see tarweed),
 310.
 Grossularia inermis, (see wild goose-
 berry), 310.
 leptantha, (see gooseberry), 310.
 Ground cherry, *Entyloma australe*, 312.
 Growth cracks, tomato, 227.
 Guignardia aesculi, buckeye, 290.
 horse chestnut, 295.
 bidwellii, *Ampelopsis* sp., 301.
 grape, 91.
 vaccinii, cranberry, 99.
 Cumming, sugar cane, 263.
 Gummosis, apricot, 90.
 cherry, 89.
 citrus, 110.
 Gymnoconia interstitialis, blackberry,
 103.
 dewberry, 315.
 raspberry, 101.
 Gymnosporangium clavariaeforme, juniper,
 295.
 clavipes, (see *G. germinale*), quince,
 68.
 germinale, juniper, 296.
 quince, 68.
 globosum, hawthorn, 294.
 juniper, 295.
 gracilens, syringa, 307.
 inconspicuum, amelanchier, 289.
 juniper, 296.
 juniperi-virginianae, apple, 35, 336.
 juniper, 295.
 juniperum, juniper, 296.
 juvenescens, amelanchier, 289.
 juniper, 296.
 libocedri, pear, 67.
 macropus, (see *G. juniperi-virgin-
 ianae*), juniper, 295.
 nelsoni, amelanchier, 289.
 juniper, 296.
 spp., juniper, 295.

 H
 Hackberry, leaf spot, 294.
 witches broom, 294.
 Hail injury, apple, 60.
 Halo blight, oats, 158.
 Hamamelis virginiana, (see witchhazel),
 301.
 Hard berry, grape, 93.
 Hard rot, cranberry, 99.
 gladiolus, 303.
 Hawkweed, rust, 311.
 Hawthorn, rust, 294.
 Hazelnut, leaf spot, 294.
 Head smut, corn, 164.
 rye, 149.
 sorghum, 169.
 Heart rot, banana, 112.
 black locust, 296.
 catalpa, 291.
 celery, 276.
 elm, 294.
 plum, 85.

- Hedge bindweed, rust, 310.
 Hedge mustard, blister blight, 315.
 white rust, 315.
Helianthus annuus, (see sunflower),
 175, 307.
Helminthosporium gramineum, barley,
 151, 322.
 sacchari, sugar cane, 265.
 sativum, barley, 153.
 sp., corn, 165.
 wheat, 142.
 teres, barley, 153.
 wheat, 142.
 Hemlock, *Stysamus*, 294.
 Hemp, leaf spot, 309.
Hepatica, acutiloba, (see hepatica),
 310.
Hepatica, rust, 310.
 smut, 311.
Heterodera radicicola, alfalfa, 170.
 bean, 234.
 beet, 271.
 Begonia sp., 302.
 cabbage, 244.
 cantaloupe, 249.
 carnation, 302.
 carrot, 272.
 celery, 277.
 cotton, 259, 334.
 cowpea, 173.
 cucumber, 253.
 lettuce, 282.
 okra, 283.
 onion, 238.
 parsnip, 283.
 pepper, 285.
 potato, 212.
 sweet potato, 229.
 tomato, 227.
 schachtii, sugar beet, 266.
 sp., rose, 307.
Heterosphaeria patella, *Peucedanum*
 graveolens, 312.
Heterosporium gracile, (see *Didy-*
 mellina iridis), iris, 304.
Hexagona alveolaris, hickory, 295.
 striatula, hickory, 295.
 Hickory, anthracnose, 295.
 Hexagona alveolaris, 295.
 striatula, 295.
 witches broom, 295.
Hieracium griseum, (see hawkweed),
 311.
 Hog peanut, blight, 308.
 rust, 308.
 Hollow heart, potato, 213.
 Hollow stalk, tobacco, 269.
 Hollyhock, leaf spot, *Cercospora*,
 304.
 Phyllosticta, 304.
 root rot, 304.
 rust, 304.
 Hopper burn, potato, 206.
Hordeum jubatum, ergot, 146, 175.
 Erysiphe graminis, 175.
 Scolecotrichum graminis, 175.
 smut, 174.
 stem rust, 174.
 stripe rust, 174.
 nodosum, ergot, 175.
 vulgare, ergot, 146.
Hormodendrum cladosporioides, wheat,
 147.
 Horse bean, sunscald, 173.
 Horse chestnut, drop, 295.
 leaf blotch, 295.
 leaf spot, 295.
 Nectria canker, 295.
 Horseradish, root rot, bacterial, 245.
 root rot, *Thielavia*, 245.
 Horseweed, rust, 310.
 Huckleberry, *Exobasidium vaccinii*, 304.
Hydrangea hortensia, (see hydrangea),
 304.
Hydrangea, rust, 304.
Hydrastis canadensis, (see golden
 seal), 311.
Hydrophyllum virginianum, (see water-
 leaf), 311.
Hystrix patula, *Phyllachora graminis*,
 175.

I

- Iliou, sugar cane, 264.
Impatiens pallida, (see touch-me-not),
 311.
 Incense cedar rust, pear, 67.
 Insect injuries, cane fruits, 99.
 Internal breakdown, apple, 53.
 Internal brown spot, potato, 214.
 Internal necrosis, lettuce, 282.
Ipomoea spp., (see morning-glory),
 305.
 Iris, bulb rot, 304.
 leaf spot, 304.

Rhizoctonia, 304.
 Iris spp., (see iris), 304.
 Ironweed, rust, 316.
 Isariopsis griseola, bean, 234.
 Iva, wilt, 176.
 Ivesia gordonii, (see ivesia), 311.
 Ivesia, rust, 311.

J

Jack-in-the-pulpit, rust, 308.
 Japanese barberry, (see barberry),
 302.
 Java black rot, sweet potato, 229.
 Jelly end rot, potato, 210.
 Jonathan freckle, apple, 60.
 Jonathan spot, apple, 50.
 Jonquil, blight, 304.
 Juglans cinerea, (see butternut),
 290.
 sp., (see walnut), 301.
 Juneberry, brown rot, 295.
 powdery mildew, 295.
 Sclerotinia sp., 295.
 Juniper, blight, 296.
 rust, 295.
 winter injury, 296.
 Juniperus scopulorum, (see juniper),
 296.
 siberica, (see juniper), 296.
 spp., (see juniper), 295.
 utahensis, (see juniper), 296.
 virginiana, (see juniper), 296.

K

Kale, yellows, 245.
 Keithia thujina, arbor vitae, 289.
 Kentrophyta impensa, rust, 311.
 Kernel smut, sudan grass, 174.
 Knotweed, leaf spot, 312.
 powdery mildew, 312.
 rust, 312, 313.
 Kohl rabi, club root, 245.
 Kunkelia nitens, blackberry, 103.
 raspberry, 101.

L

Lactuca canadensis, (see wild lettuce),
 279, 311.
 ludoviciana, (see lettuce), 279.
 sagittifolia, (see lettuce), 279.

scariola integrata, (see lettuce),
 279.
 Lady's-thumb, smut, 313.
 Laetiporus speciosus, red oak, 299.
 sulphureus, (see L. speciosus),
 red oak, 299.
 Large brown spots, tobacco, 269.
 Late blight, celery, 272.
 potato, 181, 328.
 tomato, 221.
 Late blight tuber rot, potato, 186.
 Late flowering, black locust, 296.
 chestnut, 292.
 lilac, 305.
 Lathyrus odoratus, (see sweet pea),
 307.
 Leaf blight, Alternaria, cantaloupe, 246.
 watermelon, 257.
 Ascochyta, alfalfa, 170.
 Botrytis, peanut, 285.
 Cercospora, beet, 271.
 sugar beet, 265.
 corn, 165.
 Cylindrosporium, willow, 301.
 Dendrophoma, strawberry, 97.
 Helminthosporium, corn, 165.
 Keithia, arbor vitae, 289.
 Leaf blister, white oak, 297.
 Leaf blotch, Ascochyta, strawberry,
 97.
 Guignardia, buckeye, 290.
 horse chestnut, 295.
 Leaf burning, elm, 294.
 Leaf curl, peach, 73, 335.
 plum, 85.
 Leaf drop, poplar, 300.
 Leaf hopper, potato, 206.
 Leaf mold, tomato, 226.
 Leaf roll, potato, 204, 328.
 tomato, 226.
 Leaf rot, onion, 238.
 watermelon, 257.
 Leaf rust, ash, 289.
 barley, 152, 322.
 corn, 326.
 rye, 148, 320.
 wheat, 135, 318.
 Leaf scab, elm, 293.
 Leaf scorch, linden, 296.
 maple, 297.
 spruce, 300.
 strawberry, 97.
 Leaf sheath spot, corn, 165.

- Leaf spot, *Alternaria*, brussels sprouts, 245.
 catalpa, 290.
 cucumber, 253.
Ascochyta, rhubarb, 286.
 ash, 289.
 bacterial, celery, 277.
 clover, 171.
 corn, 165.
 velvet bean, 173.
 black, brussels sprouts, 245.
 cabbage, 243.
 black speck, maple, 297.
Botrytis, peony, 305.
 catalpa, 291.
Cercospora, alfalfa, 170.
 bean, 234.
 cotton, 260.
 cowpea, 172.
 daisy, 303.
 grape, 93.
 hollyhock, 304.
 knotweed, 312.
 lilac, 305.
 lima bean, 235.
 peach, 81.
 peanut, 285.
 phlox, 305.
Polygonum erectum, 313.
 rice, 166.
 rose, 307.
 swiss chard, 287.
 tobacco, 269.
Ceratophorum, elm, 293.
chrysanthemum, 303.
Coccomyces, cherry, 86.
 choke cherry, 292.
 plum, 84.
Colletotrichum, sorghum, 169.
Coryneum, elm, 293.
Diaporthe, lima bean, 234.
Didymellina, iris, 304.
Excipula, elm, 294.
Exosporium, date palm, 305.
 evonymus, 303.
 privet, 306.
Fabraea, pear, 65.
 quince, 68.
Gloeosporium, basswood, 290.
 elm, 294.
 Japanese barberry, 302.
 maple, 296.
 oak, 299.
Gnomonia, elm, 293.
 white oak, 297.
Gnomoniella, hazelnut, 294.
Guignardia, *Ampelopsis* sp., 301.
 horse chestnut, 295.
Macrosporium, bouncing bet, 315.
 catalpa, 291.
 clover, 171.
 onion, 238.
 tobacco, 269.
Marssonina, chestnut, 292.
 chestnut oak, 298.
 walnut, 113, 301.
Mycosphaerella, currant, 98.
 elm, 293.
 gooseberry, 98.
 pear, 66.
 strawberry, 94.
 sugar beet, 266.
Phoma, sugar beet, 266.
Phyllosticta, ash, 289.
 catalpa, 290.
 cowpea, 172.
 delphinium, 303.
 hackberry, 294.
 hollyhock, 304.
 lilac, 304.
 maple, 296, 297.
 rhubarb, 286.
 witch-hazel, 301.
Pleosphaerulina, alfalfa, 170.
Pseudopeziza, alfalfa, 170.
 clover, 171.
Ramularia, *Celastrus scandens*, 303.
 dandelion, 316.
 plantain, 312.
 touch-me-not, 311.
 red, cranberry, 99.
Rhytisma, maple, 297.
Septogloeum, elm, 293.
Septoria, birch, 290.
 blackberry, 103.
 china aster, 302.
 chrysanthemum, 303.
 dogwood, 292.
 figwort, 315.
 ginseng, 312.
 hemp, 309.
 lettuce, 281.
 Polygonum pennsylvanicum, 313.
 raspberry, 101.
 red oak, 298.

tomato, 214.
 wheat, 146.
 wild blackberry, 315.
 wild leek, 308.
 wild lettuce, 311.
 sugar cane, 264.
 tar, maple, 297.
 tobacco, 269.
Vermicularia, trillium, 316.
 Leaf wilt, catalpa, 291.
 Leak, potato, 211.
 strawberry, 96.
 Legumes, 170.
 Lemon, (see citrus), blue mold rot, 109.
Leptosphaeria coniothyrium, black-
 berry, 104.
 raspberry, 101.
 sacchari, sugar cane, 265.
Leptothyrium pomi, apple, 42.
 pear, 67.
 sp., birch, 290.
 Lettuce, bacterial soft rot, 281.
 black heart, 281.
 downy mildew, 279.
 drop, 278.
 gray mold rot, 279.
 internal necrosis, 282.
 leaf spot, 281.
 root knot, 282.
 root rot, 282.
 bacterial, 281.
 Ozonium, 282.
 rosette, 280.
 South Carolina bacterial disease, 281.
 stem rot, 280.
 tip burn, 280, 282.
 watery soft rot, 278.
 Lightning injury, potato, 214.
 tobacco, 270.
Ligustrum vulgare, (see privet), 306.
 Lilac, late flowering, 305.
 leaf spot, *Cercospora*, 305.
 Phyllosticta, 304.
 powdery mildew, 304.
 Lima bean, bacterial blight, 234.
 bacterial spot, 234.
 downy mildew, 234.
 leaf spot, *Cercospora*, 235.
 Diaporthe, 234.
 mosaic, 234.
 pod spot, 234.

 powdery mildew, 235.
 root rot, 235.
 Lime, (see citrus), 104.
 Linden, leaf scorch, 296.
Liriodendron tulipifera, (see tulip
 poplar), 300.
 Little peach, peach, 78.
 Locoweed, rust, 309.
 Locust (black), heart rot, 296.
 late flowering, 296.
 rot, 296.
 witches broom, 296.
 Loganberry, (see blackberry), 103.
 winter injury, 57, 104.
Lolium sp., ergot, 147, 175.
 Loose kernel smut, sorghum, 169.
 Loose smut, barley, 151, 322.
 oats, 324.
 wheat, 119, 318.
Lycium sp., (see matrimony vine), 305.

M

Maclura aurantiaca, (see osage orange), 299.
Macrophoma candolei, box, 302.
 fici, fig, 112.
Macrosporium catalpae, catalpa, 291.
 saponariae, bouncing bet, 315.
 sarciniforme, clover, 171.
 solani, potato, 187, 330.
 tomato, 338.
 sp., onion, 238.
 pepper, 285.
 tobacco, 269.
 spp., tomato, 219.
Madronella oblongifolia, (see western
 horse mint), 311.
 Malnutrition, cabbage, 245.
 cotton, 259.
 potato, 214.
 Mangel-wurzel, crown gall, 282.
 frost injury, 282.
 Maple, black speck leaf spot, 297.
 leaf scorch, 297.
 leaf spot, *Gloeosporium*, 296.
 Phyllosticta, 296, 297.
 root rot, 297.
 rot, 297.
Steganospora piriforme, 297.
 tar leaf spot, 297.
 white butt rot, 297.
 wilt, 297.

- winter injury, 297.
- Marasmius plicatus*, sugar cane, 263.
- Marsh cress, white rust, 314.
- Marssonina juglandis*, (see *Gnomonia leptostyla*, butternut, 290.
walnut, 113, 301.
ochroleuca, chestnut, 292.
potentillae, (see *Mollisia earliana*),
strawberry, 97.
potentillae fragariae, (see *Mollisia earliana*), strawberry, 97.
sp., chestnut oak, 298.
hickory, 295.
- Matrimony vine, downy mildew, 305.
- Measles, apple, 61.
- Melampsora albertensis*, *Pseudotsuga mucronata*, 300.
biglowii, willow, 301.
confluens, currant, 314.
gooseberry, 310.
Watson's willow, 301.
wild gooseberry, 310.
lini, flax, 168.
poplar, 300.
sp., willow, 301.
- Melampsoropsis pyrolae*, *pyrola*, 306.
- Melanconium* sp., tomato, 227.
- Melanconium* spot, tomato, 227.
- Melanose*, citrus, 106.
- Melasmia ulmicola*, elm, 294.
- Melia* sp., (see umbrella tree), 300.
- Mentha spicata*, (see mint), 311.
- Microsphaera alni*, lilac, 304.
oak, 299.
pecan, 113.
alni vaccinii, catalpa, 291.
diffusa, snowberry, 316.
wolfberry, 315.
elevata, (see *M. alni vaccinii*),
catalpa, 291.
grossulariae, elder, 292.
sp., matrimony vine, 305.
- Microstroma album*, white oak, 298.
juglandis, hickory, 295.
- Mint, rust, 311.
- Miscellaneous grasses, 174.
- Miscellaneous plants, 175, 288, 308.
- Miscellaneous vegetables, 270.
- Mollisia earliana*, strawberry, 97.
- Monarda fistulosa*, (see wild bergamot), 311.
- Monilia* sp., cherry, 89.
pear, 67.
plum, 84.
- Monilochaetes infuscans*, sweet potato, 229.
- Morning-glory, white rust, 305.
- Mosaic, bean, 232, 333.
cantaloupe, 247.
clover, 171.
corn, 164.
cowpea, 173.
cucumber, 250.
golden seal, 311.
lima bean, 235.
peony, 305.
pepper, 285.
potato, 201, 328.
soy bean, 173.
spinach, 286.
squash, 253.
sugar beet, 265.
sugar cane, 260.
sweet potato, 229.
tobacco, 269, 270.
tomato, 220.
watermelon, 257.
- Mottled leaf, citrus, 111.
- Mountain ash, canker, 290.
scab, 290.
winter injury, 290.
- Mucilage spongiosa*, strawberry, 98.
- Mushroom root rot, blackberry, 104.
cherry, 89.
- Mycosphaerella brassicicola*, brussels sprouts, 245.
cabbage, 244.
citrullina, cucumber, 251.
fragariae, strawberry, 94.
grossulariae, currant, 98.
gooseberry, 98.
pinodes, pea, 283.
rubina, blackberry, 104.
raspberry, 101.
sentina, (*Septoria sentina*),
pear, 66.
ulmi, elm, 293.
- Myxosporium corticolum*, pear, 67.

N

- Nailhead rust, citrus, 110.
- Nailhead spot, tomato, 219.
- Narcissus sp., (see jonquil), 304.
- Neck rot, onion, 237.
- Nectria cinnabarina*, horse chestnut, 295.

- galligena, apple, 45.
 Nematode disease, clover, 172.
 strawberry, 172.
 Nematode, (see also root knot),
 celery, 277.
 pepper, 285.
 potato, 212.
 rose, 307.
 strawberry, 97.
 tobacco, 270.
 wheat, 144.
Neofabraea malicorticis, apple, 45.
 Net blotch, barley, 153.
 Nettle, rust, 316.
 New disease, tomato, 226.
 Node disease, wheat, 147.
Nummularia billiardi, oak, 299.
 discreta, apple, 28.
 mountain ash, 290.
 Nutgrass injury, potato, 213.
 Nuts, 113.
- 0
- Oak; anthracnose, 299.
 leaf spot, 299.
 Nummularia billiardi, 299.
 powdery mildew, 299.
 Sphaeropsis malorum, 293.
 winter injury, 57.
 Oak, chestnut, leaf spot, 298.
 twig blight, 298.
 Oak, English, canker, 298.
 Oak, red, *Laetiporus speciosus*, 299.
 leaf spot, 298.
 Oak, scarlet, *Bulgaria polymorpha*,
 298.
 Oak, water, *Cerrena unicolor*, 298.
 Oak, white, anthracnose, 298.
 Gloeosporium quercinum, 298.
 leaf blister, 297.
 leaf spot, 297.
 Pestalozzia monochaete, 297.
 twig blight, 298.
 witches broom, 298.
 Oaks, anthracnose, 159.
 blast, 159.
 blight, 159.
 burning, 160.
 covered smut, 324.
 halo blight, 158.
 loose smut, 324.
 losses, 217, 324.
 red leaf, 160.
 rust, crown, 157, 324.
 stem, 157, 324.
 scab, 159.
 seedling blight, 160.
 smut, 154.
 sterility, 159.
Oenothera biennis, (see evening prim-
 rose), 311.
Oidium chrysanthemi, (see *Erysiphe*
 cichoracearum), *chrysanthemum*, 303.
 Okra, root knot, 283.
 root rot, 283.
 wilt, *Fusarium*, 282.
 Verticillium, 283.
 Onion, black mold rot, 239.
 blue mold rot, 239.
 Botrytis, 238.
 bulb rot, 238.
 damping off, 238.
 dodder, 238.
 downy mildew, 237.
 Fusarium rot, 238.
 gray mold rot, 239.
 leaf rot, 238.
 leaf spot, 238.
 neck rot, 237.
 pink root, 237.
 Rhizopus rot, 238.
 root knot, 238.
 rust, 238.
 scale rot, 238.
 slimy soft rot, 239.
 smudge, 238.
 smut, 235.
 stem rot, 238.
Oospora pustulans, potato, 212.
Ophiobolus graminis, wheat, 143.
 Orange, (see citrus), blue mold rot,
 109.
 foot rot, 109.
 Orange rust, blackberry, 103.
 raspberry, 101.
 Ornamental plants, 288, 301.
 bibliography, 316-f.
Oryzopsis asperifolia, *Phyllachora*
 graminis, 175.
 Osage orange, blight, 299.
Osmorrhiza, rust, 312.
Osmorrhiza sp., (see *osmorrhiza*), 312.
Ozonium omnivorum, alfalfa, 170.
 apple, 46.
 bean, 234.

castor bean, 314.
 cotton, 260.
 cowpea, 173.
 elm, 294.
 grape, 93.
 hollyhock, 304.
 lettuce, 282.
 okra, 283.
 peanut, 285.
 pear, 67.
 privet, 306.
 rose, 307.
 squash, 254.
 sweet potato, 229.
 umbrella tree, 300.

P

Paeonia officinalis, (see peony),
 305.
 Palm, smut, 305.
Panax quinquefolium, (see ginseng),
 312.
Panicularia fluitans, ergot, 175.
 Parsley, root canker, 283.
 rot, 283.
 Parsnip, root knot, 283.
Paspalum sp., ergot, 174.
 Pea, bacterial blight, 283.
 blight, *Mycosphaerella*, 283.
 Septoria, 284.
 Erysiphe sp., 284.
 powdery mildew, 284.
 root rots, 283.
 Fusarium, 284.
 Phytophthora, 284.
 Pythium, 284.
 Rhizoctonia, 284.
 Thielavia, 284.
Sclerotinia libertiana, 285.
 Peach, black mold rot, 78.
 black spot, 76.
 blue mold, 81.
 brown rot, 69, 335.
 chlorosis, 81.
 Coryneum blight, 81.
 crown gall, 81.
 die-back, 81.
 frost injury, 81.
 leaf curl, 73, 335.
 leaf spot, 81.
 little peach, 78.
 losses, 317, 335.

powdery mildew, 81.
 rosette, 78.
 rust, 81.
 scab, 72.
 winter injury, 55, 81.
 yellows, 78.
 Peanut, leaf blight, 285.
 leaf spot, 285.
 root rot, 285.
 Texas root rot, 285.
 Pear, bark canker, 67.
 black end, 67.
 black rot, 66.
 blight, 62.
 blossom blight, 67.
 blue mold rot, 67.
 brown bark spot, 67.
 brown blotch, 67.
 brown rot, 67.
 cracking of fruit, 67.
 crown gall, 67.
 drought injury, 67.
 excessive transpiration, 67.
 frost injury, 67.
 gray mold rot, 67.
 incense cedar rust, 67.
 leaf spot, *Fabraea*, 65.
 Mycosphaerella, 66.
 rot, *Botrytis*, 67.
 Rhizopus, 67.
 rough bark disease, 67.
 scab, 65.
 scaliness, 67.
 sooty blotch, 67.
 Texas root rot, 67.
 winter injury, 67.
 Pecan, black pit, 113.
 blight, 113.
 crown gall, 113.
 die-back, 113.
 powdery mildew, 113.
 rosette, 113.
 scab, 113.
Penicillium expansum, apple, 49.
 pear, 67.
 sp., cantaloupe, 248.
 cherry, 89.
 citrus, 109.
 grape, 94.
 onion, 239.
 peach, 81.
 plum, 85.
 Peony, *Cladosporium paeoniae*, 305.

- leaf spot, 305.
 mosaic, 305.
 scab, 305.
 Pepper, anthracnose, 285.
 damping off, 285.
 fruit rot, 285.
 mosaic, 285.
 nematodes, 285.
 wilt, bacterial, 285.
 Fusarium, 285.
 Sclerotium, 285.
 Peridermium coloradense, Engelmann
 spruce, 300.
 filamentosum, (see Cronartium
 filamentosum), rock pine, 299.
 pyriforme, (see Cronartium pyri-
 forme), rock pine, 299.
 Periwinkle, rust, 305.
 Peronospora effusa, pigweed, 309.
 spinach, 286.
 parasitica, cabbage, 244.
 radish, 245.
 turnip, 246.
 schachtii, sugar beet, 266.
 schleideni, onion, 237.
 trifoliorum, alfalfa, 170.
 Pestalozzia conigena, arbor vitae,
 289.
 funerea, arbor vitae, 289.
 monochaete, white oak, 297.
 Peucedanum graveolens, rust, 312.
 Philadelphus occidentalis, (see
 syringa), 307.
 Phleospora ulmi, (see Mycosphaerella
 ulmi), elm, 293.
 Phleum pratense, ergot, 146, 175.
 Scolecotrichum graminis, 175.
 smut, 174.
 stem rust, 174.
 Phlox, leaf spot, 305.
 sp., (see phlox), 305.
 Phoenix dactylifera, (see date palm),
 305.
 sp., (see palm), 305.
 Phoma betae, sugar beet, 266.
 cincta, elm, 294.
 destructiva, tomato, 224.
 lingam, cabbage, 242.
 collard, 245.
 rutabaga, 246.
 pomi, apple, 44.
 sp., cotton, 259.
 subcircinata, (see Diaporthe pha-
 seolorum), lima bean, 234.
 sugar beet, 266.
 Phomopsis citri, citrus, 106, 108.
 vexans, eggplant, 277.
 Phragmidium affine, (see P. ivesiae),
 cinquefoil, 313.
 horkeliae, ivesia, 311.
 imitans, raspberry, 101, 315.
 ivesiae, cinquefoil, 313.
 montivagum, rose, 306.
 potentillae, cinquefoil, 313.
 rosa-californicae, rose, 306.
 rosa-setigerae, rose, 306.
 spp., rose, 306.
 triarticulatum, (see P. potentillae)
 cinquefoil, 313.
 Phyllachora graminis, Agropyron repens,
 175.
 Calamagrostis canadensis, 175.
 Elymus canadensis, 175.
 striatus, 175.
 virginicus, 175.
 Hystrix patula, 175.
 Oryzopsis asperifolia, 175.
 pomigena, apple, 42.
 trifolii, clover, 171.
 Phyllactinia corylea, dogwood, 292.
 Phyllosticta acericola, (see P.
 minima), maple, 296.
 aceris, maple, 297.
 althaeina, hollyhock, 304.
 ampelopsidis, (see Guignardia bid-
 wellii), Ampelopsis sp., 301.
 caryae, pecan, 113.
 catalpae, catalpa, 290.
 celtidis, hackberry, 294.
 confertissima, elm, 294.
 halstedii, lilac, 304.
 hamamelidis, witch-hazel, 301.
 hortorum, (see Phomopsis vexans),
 eggplant, 277.
 minima, maple, 296.
 paviae, (see Guignardia aesculi),
 horse chestnut, 295.
 buckeye, 290.
 phaseolina, cowpea, 172.
 (see Diaporthe phaseolorum),
 lima bean, 235.
 prunicola, cherry, 89.
 solitaria, apple, 13, 336.
 sp., catalpa, 291.
 Delphinium, 303.
 sugar beet, 266.
 sphaeropsidea, (see Guignardia
 aesculi), buckeye, 290.

- horse chestnut, 295.
 straminella, rhubarb, 286.
 ulmicola, elm, 294.
 viridis, ash, 289.
Physalis sp., (see ground cherry),
 312.
Physalospora cydoniae, (*Sphaeropsis*
malorum), apple, 30, 336.
 chestnut oak, 298.
 pear, 66.
 quince, 69.
Physarum cinereum, strawberry, 98.
Physoderma, corn, 326.
 zeae-maydis, corn, 164, 326.
Physopella fici, fig, 112.
Phytophthora cactorum, apple, 60.
 pea, 284.
 infestans, potato, 181, 328.
 tomato, 221.
 phaseoli, lima bean, 234.
 rhubarb, 286.
 terrestris, tomato, 224.
 tomato, 226.
Phytoptus sp., hackberry, 294.
Picea engelmanni, (see Engelmann
 spruce), 300.
 sp., (see spruce), 300.
 Pigweed, rust, 309.
 Pineapple disease, sugar cane, 264.
 Pineapple, rot, 112.
 wilt, 112.
 Pine, canker, 300.
 Physiological blight, 299.
 Pine, eastern white, *Caliciopsis*
piniae, 299.
Capnodium pini, 299.
 Pine, piñon, rust, 299.
 Pine, rock, rust, 299.
 Pine, Scotch, *Colletotrichum* sp., 299.
 Pine, short-leaf, *Coriclus versicolor*,
 299.
 Pink disease, acacia, 110, 289.
 cacao, 110, 316.
 citrus, 110.
 coffee, 110, 309.
 rubber, 110.
 Pink mold rot, apple, 47.
 Pink root, onion, 237.
 Pink rot, apple, 46.
 Piñon pine, (see pine), 299.
Pinus echinata, (see short-leaf pine),
 299.
 edulis, (see piñon pine), 299.
ponderosa scopulorum, (see rock
 pine), 299.
 spp., (see pine), 299.
 strobis, (see eastern white pine),
 299.
 sylvestris, (see Scotch pine), 299.
Piricularia grisea, *Chaetochloa ital-*
ica, 175.
 oryzae, rice, 165.
Plantago major, (see plantain), 312.
 Plantain, leaf spot, 312.
 powdery mildew, 312.
Plasmodiophora brassicae, cabbage, 239.
 kohlrabi, 245.
 rutabaga, 246.
 turnip, 246.
 sp., sugar cane, 263.
Plasmopara australis, wild balsam ap-
 ple, 310.
 halstedii, great ragweed, 308.
 viticola, *Ampelopsis* sp., 301.
 grape, 92.
Platanus occidentalis, (see sycamore),
 300.
Plectodiscolla veneta, blackberry, 103.
 raspberry, 100.
Plenodomus destruens, sweet potato,
 229, 332.
 fuscomaculans, apple, 61.
Pleosphaerulina briosiana, alfalfa.
 170.
Pleurotus ulmarius, elm, 294.
Plowrightia morbosa, cherry, 87.
 choke cherry, 292.
 plum, 83.
 sp., choke cherry, 292.
 Plum, bark disease, 84.
 black knot, 83.
 black spot, 84.
 blight, 84.
 blossom blight, 84.
 blue mold rot, 85.
 brown rot, 82.
 crown gall, 84.
 drought spots, 84.
 frost injury, 85.
 fruit drop, 85.
 heart rot, 85.
 leaf curl, 85.
 leaf spot, 84.
 pockets, 83.
 powdery mildew, 84.
Rhizopus sp., 85.

- root rot, 85.
 rosette, 84.
 rust, 84.
 scab, 84.
 shot hole, 84.
 silver leaf, 84.
 winter injury, 85.
 wood rot, 84.
- Poa canadensis*, rust, 174.
compressa, ergot, 146, 175.
 Scolecotrichum graminis, 175.
pratensis, ergot, 147, 175.
 Erysiphe graminis, 175.
 rust, 174.
 smut, 174.
 Sporotrichum sp., 175.
triflora, *Scolecotrichum graminis*,
 175.
- Pockets, plum, 83.
- Podosphaera leucotricha*, apple, 43.
 cherry, 88.
 oxyacanthae, cherry, 88.
 juneberry, 295.
 plum, 84.
 oxyacanthae *tridactyla*, choke
 cherry, 292.
- Pod spot, lima bean, 234.
- Polygonatum commutatum*, (see Solomon's
 seal), 312.
- Polygonum aviculare*, (see knotweed),
 312.
 convolvulus, (see bindweed), 313.
 erectum, leaf spot, 313.
 powdery mildew, 313.
 muhlenbergii, rust, 313.
 pennsylvanicum, leaf spot, 313.
 persicaria, (see lady's thumb), 313.
- Polyporus chioneus*, plum, 84.
 glivus, black locust, 296.
 hirsutus, (see *Coriolus nigro-margi-*
 natus), beech, 290.
 occidentalis, (see *Coriolus versicolor*),
 pine, 299.
 (see *Corioloopsis versicolor*), elm,
 294.
 rimosus, black locust, 296.
 versicolor, (see *Coriolus versi-*
 color), short-leaf pine, 299.
- Polystictus hirtellus*, (see *Coriolus ni-*
gromarginatus), beech, 290.
 versicolor, catalpa, 291.
 peach, 81.
- Pome fruits, 3.
- Poplar, leaf drop, 300.
- Populus* sp., (see poplar), 300.
 tremuloides, (see poplar), 300.
- Portulaca oleracea*, (see common purs-
 lano), 313.
- Potato, alkali injury, 213.
 anthracnose, 210.
 black heart, 213.
 black-leg, 207, 328.
 chlorosis, 214.
 curly dwarf, 213.
 dodder, 213.
 dwarfing, 213.
 early blight, 187, 330.
 Fusarium blight, 188.
 hollow heart, 213.
 hopper burn, 206.
 internal brown spot, 214.
 jelly end rot, 210.
 late blight, 181, 328.
 late blight tuber rot, 186.
 leaf hopper, 206.
 leaf roll, 204, 328.
 leak, 211.
 lightning injury, 214.
 losses, 317, 328.
 malnutrition, 214.
 mosaic, 201, 328.
 nematodes, 212.
 nut grass injury, 213.
 powdery scab, 211.
 Rhizoctonia, 193, 195, 328.
 root knot, 212.
 russet dwarf, 213.
 scab, 196.
 Sclerotium rot, 212.
 scurf, 193.
 silver scurf, 212.
 skin spot, 212.
 slimy soft rot, 213.
 southern blight, 211.
 spindling sprout, 214.
 spot, 214.
 stem end rot, 190.
 stem rot, 193.
 streak, 213.
 sunscald, 214.
 thumb-nail cracking, 213.
 tip burn, 206, 330.
 violet root rot, 212.
 wart, 190.
 wilt, 190.
 bacterial, 196.

- Fusarium*, 188, 350.
Verticillium, 196.
Potentilla canadensis, (see cinquefoil), 313.
pulcherrima, (see cinquefoil), 313.
 sp., (see cinquefoil), 313.
 Powdery mildew, *Ampelopsis* sp., 301, 302.
 apple, 43.
 barley, 154.
 bean, 234.
 beggarticks, 309.
 catalpa, 291.
 cherry, 88.
 choke cherry, 292.
 chrysanthemum, 303.
 clover, 171.
 cucumber, 253.
 dahlia, 303.
 dandelion, 316.
 delphinium, 303.
 dogwood, 292.
 elder, 292.
 evening primrose, 311.
 golden glow, 303.
 gooseberry, 98.
 grape, 92.
 great ragweed, 308.
 junberry, 295.
 knotweed, 312.
 lilac, 304.
 lima bean, 235.
 oak, 299.
 pea, 284.
 peach, 81.
 pecan, 113.
 plantain, 312.
 plum, 84.
Polygonum erectum, 313.
 ragweed, 308.
 raspberry, 101.
 rose, 306.
 rye, 148.
 snowberry, 316.
 sunflower, 176.
 sycamore, 300.
 tarweed, 310.
 tulip poplar, 300.
 vervain, 316.
 waterleaf, 311.
 wheat, 147.
 wild grape, 316.
 willow, 301.
 wolfberry, 315.
 Powdery scab, potato, 211.
 Pox, sweet potato, 229, 332.
 Preliminary list publications, 316-f.
 Prickly gooseberry, (see gooseberry); 314.
 Primrose, gray mold, 306.
Primula malicoides, (see primrose); 306.
 spp., (see primrose), 306.
 Privet, anthracnose, 306.
 drought breakdown, 306.
 leaf spot, 306.
 root rot, 306.
 winter injury, 306.
 Prune, (see plum), 82.
 winter injury, 56.
Prunus demissa, (see choke cherry), 292.
serotina, (see choke cherry), 292.
 sp., (see choke cherry), 292.
virginiana, (see choke cherry), 292.
Pseudomonas avenae, oats, 158.
beticola, sugar beet, 266.
ocerasus, cherry, 89.
pisi, pea, 285.
Pseudoperonospora cubensis, cantaloupe, 249.
 cucumber, 251.
Pseudopeziza medicaginis, alfalfa, 170.
 ribis, currant, 98.
 gooseberry, 98.
 trifolii, clover, 171.
Pseudotsuga mucronata, rust, 300.
 Psorosis, citrus, 110.
Ptilocalais tenuifolia, rust, 313.
Puccinia asparagi, asparagus, 271.
 onion, 238.
 asteris, daisy fleabane, 310.
 goldenrod, 304.
 horseweed, 310.
 clematidis, buttercup, 314.
 convolvuli, hedge bindweed, 310.
 coronata, *Avena fatua*, 174.
 buckthorn, 290.
 oats, 157, 324.
 dispersa, rye, 148, 320.
 epiphylla, *Poa canadensis*, 174.
Poa pratensis, 174.
 fraxinata, ash, 289.
 glumarum, barley, 154.
Hordeum jubatum, 174.

- rye, 150.
wheat, 137.
- graminis, *Agropyron caninum*, 174.
Agropyron repens, 148, 174.
tonerum, 174.
Agrostis palustris, 174.
Avena fatua, 174.
barberry, 302.
barley, 152, 322.
Elymus canadensis, 174.
robustus, 174.
Hordeum jubatum, 174.
oats, 157, 324.
Phleum pratense, 174.
rye, 147, 320.
wheat, 128, 318.
- grindeliae, golden aster, 309.
- grossulariae, (see *P. ribis*), black
currant, 314.
European gooseberry, 314.
prickly gooseberry, 314.
smooth gooseberry, 314.
wild black currant, 314.
- helianthi, sunflower, 176, 307.
- hieracii, hawkweed, 311.
- jonesii, cous, 309.
- kuehnii, sugar cane, 264.
- malvacearum, hollyhock, 304.
- menthae, mint, 311.
wild bergamot, 311.
- micrantha, gooseberry, 310.
- mirabilissima, barberry, 302.
- monardellae, western horse mint,
311.
- osmorrhizae, osmorrhiza, 312.
- peckii, evening primrose, 312.
- polygoni, (see *P. polygoni am-*
phibii), bindweed, 313.
knotweed, 312.
- polygoni amphibii, bindweed, 313.
knotweed, 312.
Polygonum mühlenbergii, 313.
wild cranesbill, 310.
- polygoni convolvuli, bindweed, 313.
- pringsheimiana, currant, 98.
gooseberry, 98.
- pruni-spinosae, peach, 81.
plum, 84.
- ribis, black currant, 314.
European gooseberry, 314.
prickly gooseberry, 314.
smooth gooseberry, 314.
wild black currant, 314.
- rugosa, *Ptilocalais tenuifolia*, 313.
saxifragae, swamp saxifrage, 315.
sessilis, false Solomon's seal, 315.
Solomon's seal, 312.
simplex, barley, 152, 322.
sorghii, corn, 164, 326.
symphoricarpi, snowberry, 315.
taraxici, dandelion, 316.
triticina, wheat, 135, 318.
troximontis, (see *P. rugosa*), *Ptilo-*
calais tenuifolia, 313.
urticae, nettle, 316.
vincae, periwinkle, 305.
violae, downy yellow violet, 316.
violet, 316.
xanthii, great ragweed, 308.
- Pucciniastrum hydrangeae*, hydrangea,
304.
- Pumpkin, bacterial wilt, 253.
- Purslane, white rust, 313.
- Pyronopeziza medicaginis*, alfalfa, 170.
- Pyrola*, *Melampsoropsis pyrolae*, 306.
rotundifolia, (see *pyrola*), 306.
- Pythiacystis citrophthora*, citrus, 111.
- Pythium debaryanum*, alfalfa, 170.
potato, 211.
tobacco, 270.
- onion, 238.
- sp., cabbage, 244.
pea, 284.

Q

- Quercus alba*, (see white oak), 297.
occinea, (see scarlet oak), 298.
nigra, (see water oak), 298.
prinus, (see chestnut oak), 298.
robur, (see English oak), 298.
rubra, (see red oak), 298.
spp., (see oak), 299.
- Quince, bitter rot, 69.
black rot, 69.
brown rot, 69.
fire blight, 68.
leaf spot, 68.
rust, 68.

R

- Radicula palustris*, (see marsh cross),
314.
- Radish, black root, 246.
downy mildew, 245.

- Rhizoctonia* sp., 246.
 white rust, 245.
 Ragweed, powdery mildew, 308.
 Ragweed, great, downy mildew, 308.
 powdery mildew, 308.
 rust, 308.
 Rainfall data, 179.
Ramularia celastri, *Celastrus scandens*, 303.
 impatiens, touch-me-not, 311.
 plantaginis, plantain, 312.
 taraxici, dandelion, 316.
Ranunculus cymbaria, (see buttercup), 314.
 Raspberry, anthracnose, 100.
 blue stem, 101.
 cane blight, 101.
 crown gall, 100.
 dodder, 101.
 gray mold rot, 103.
 leaf spot, 101.
 orange rust, 101.
 powdery mildew, 101.
 Rhizopus rot, 103.
 rust, 101, 315.
 spur blight, 101.
 winter injury, 103.
 yellows, 100.
 Red clover, (see clover), 171.
 Red leaf, oats, 160.
 Red leaf spot, cranberry, 99.
 Red oak, (see oak), 298.
 Red ring, cocanut, 114.
 Red rot, sugar cane, 264.
 Red spot, sudan grass, 174.
Rhamnus caroliniana, (see buckthorn), 290.
 sp., (see buckthorn), 290.
Rheosporangium aphanidermatus,
 radish, 246.
Rhizoctonia, celery, 277.
 crocorum, alfalfa, 170.
 potato, 212.
 iris, 304.
 potato, 193, 195.
 solani, potato, 328.
 tobacco, 270.
 sp., bean, 234.
 beet, 271.
 carnation, 302.
 cotton, 260.
 iris, 304.
 lettuce, 280.
 parsley, 283.
 pea, 284.
 radish, 246.
 spinach, 287.
 tobacco, 270.
 tomato, 225.
 turnip, 246.
 sugar beet, 266.
Rhizopus nigricans, potato, 211.
 strawberry, 96.
 sweet potato, 229.
 sp., apple, 47.
 banana, 112.
 blackberry, 104.
 cantaloupe, 248.
 cherry, 89.
 cucumber, 253.
 grape, 93.
 onion, 238.
 pear, 67.
 plum, 85.
 raspberry, 103.
 strawberry, 96.
 tomato, 225.
 watermelon, 257.
 spp., peach, 78.
 sweet potato, 228.
 Rhubarb, crown rot, 286.
 leaf spot, *Ascochyta*, 286.
 Phyllosticta, 286.
 root rot, 286.
 bacterial, 286.
Rhynchosporium secalis, barley, 153.
 Bromus inermis, 153, 175.
 Dactylis glomerata, 153, 175.
 rye, 153.
Rhytisma acerinum, maple, 297.
 punctatum, maple, 297.
 salicinum, willow, 301.
 ulmi, elm, 294.
Ribes americanum, white pine blister
 rust, 316-a.
 aurcum, (see currant), 314.
 cercum, (see currant), 314.
 cynosbati, (see currant), 98.
 (see prickly gooseberry), 314.
 floridum, (see currant), 98.
 (see wild black currant), 314.
 gracile, (see European gooseberry),
 314.
 grossulariae, white pine blister
 rust, 316-a.
 (see currant), 98.

- nigrum, (see black currant,
 314, 316.
 (see currant), 98.
 oxyacanthoides, (see currant),
 98.
 (see smooth gooseberry), 314.
 petiolaris, (see currant), 314.
 vulgare, white pine blister rust,
 316-a.
 (see currant), 98.
- Rice, blast, 165.
 leaf spot, 166.
 seedling blight, 166.
 smut, 166.
 stem rot, 166.
 straighthead, 165.
- Ricinus communis, (see castor bean),
 314.
- Ring spot, brussels sprouts, 245.
 cabbage, 244.
 sugar cane, 265.
- Ripe rot, cranberry, 99.
- Robinia pseudacacia, (see black
 locust), 296.
- Rock pine, (see pine), 299.
- Root canker, parsley, 283.
- Root gall, (see also root knot),
 Begonia sp., 302.
- Root knot, (see also nematodes).
 alfalfa, 170.
 bean, 234.
 beet, 271.
 Begonia sp., 302.
 cabbage, 244.
 cantaloupe, 249.
 carnation, 302.
 carrot, 272.
 celery, 277.
 cotton, 259, 334.
 cowpea, 173.
 cucumber, 253.
 lettuce, 282.
 okra, 283.
 onion, 238.
 parsnip, 283.
 pepper, 285.
 potato, 212.
 rose, 307.
 sweet potato, 229.
 tomato, 227.
- Root rot, Alternaria, tobacco,
 270.
 apple, 46.
- Armillaria, apple, 46.
 blackberry, 104.
 cherry, 89.
 maple, 297.
 plum, 85.
 sycamore, 300.
- bacterial, corn, 165.
 horseradish, 245.
 lettuce, 281.
 rhubarb, 286.
- beans, 333.
 celery, 277.
- Clitocybe, apple, 46.
- Fusaria, bean, 234.
- Fusarium, bean, 233.
 corn, 162, 326.
 eggplant, 278.
 pea, 284.
 spinach, 287.
 sweet clover, 172.
- Gibberella, corn, 162.
- Helminthosporium, rye, 142.
 wheat, 142.
- lettuce, 282.
- lima bean, 235.
- Marasmius, sugar cane, 263.
- mushroom, blackberry, 104.
- Ozonium, alfalfa, 170.
 apple, 46.
 bean, 234.
 castor bean, 314.
 cotton, 260.
 cowpea, 173.
 elm, 294.
 grape, 93.
 hollyhock, 304.
 lettuce, 282.
 okra, 283.
 peanut, 285.
 pear, 67.
 privet, 306.
 rose, 307.
 squash, 254.
 sweet potato, 229.
 umbrella tree, 300.
- pea, 283.
- Phoma, sugar beet, 266.
- Phytophthora, pea, 284.
- Pythium, alfalfa, 170.
 pea, 284.
- Rhizoctonia, alfalfa, 170.
 bean, 234.
 carnation, 302.

- pea, 284.
 sugar beet, 266.
 tobacco, 270.
 rhubarb, 286.
 Sclerotinia, alfalfa, 170.
 clover, 172.
 cucumber, 253.
 sweet clover, 172.
 vetch, 172.
 Sclerotium, peanut, 285.
 strawberry, 97.
 Thielavia, horseradish, 245.
 pea, 284.
 sweet pea, 307.
 violet, 308.
 tobacco, 270.
 wheat, 142, 144.
 Xylaria, apple, 46.
 Rosa neomexicana, (see rose), 306.
 puberulenta, (see rose), 306.
 spp., (see rose), 306.
 Rose, anthracnose, 307.
 black spot, 307.
 cane blight, 307.
 crown canker, 307.
 crown gall, 307.
 frost blister, 307.
 leaf spot, 307.
 nematode, 307.
 powdery mildew, 306.
 rust, 306, 307.
 salt injury, 307.
 Texas root rot, 307.
 winter injury, 307.
 Rosette, lettuce, 280.
 peach, 78.
 pecan, 113.
 plum, 84.
 tobacco, 270.
 Rot, Alternaria, apple, 60.
 watermelon, 257.
 bacterial, cantaloupe, 248.
 carrot, 272.
 cucumber, 253.
 lettuce, 281.
 sunflower, 176.
 tomato, 227.
 Botrytis, pear, 67.
 Fusarium, cucumber, 253.
 onion, 238.
 sweet potato, 228.
 ginseng, 312.
 Phoma, sugar beet, 266.
 tomato, 224.
 Phytophthora, apple, 60.
 Polyporus, black locust, 296.
 Rhizopus, apple, 47.
 banana, 112.
 blackberry, 104.
 cantaloupe, 248.
 cherry, 89.
 cucumber, 253.
 grape, 93.
 onion, 238.
 pear, 67.
 raspberry, 103.
 strawberry, 96.
 sweet potato, 228, 229.
 tomato, 225.
 Sclerotinia, parsley, 283.
 Sclerotium, potato, 212.
 slimy soft, cabbage, 244.
 onion, 239.
 potato, 213.
 Stereum, maple, 297.
 sweet potato, 228.
 Thielaviopsis, pineapple, 112.
 Rough bark, apple, 60.
 Rough bark disease, pear, 67.
 Rubber, pink disease, 110.
 Rubus sp., (see wild blackberry), 315.
 strigosus, (see raspberry), 315.
 villosus, (see dewberry), 315.
 Rudbeckia laciniata, (see golden glow),
 303.
 Rumex paucifolius, (see dock), 315.
 Russet dwarf, potato, 213.
 Rust, alfalfa, 170.
 amelanchier, 289.
 apple, 35, 336.
 asparagus, 271.
 barberry, 302.
 bean, 232.
 bindweed, 313.
 black currant, 314.
 buckthorn, 290.
 buffalo berry, 315.
 buttercup, 314.
 carnation, 302.
 cinquefoil, 313.
 clover, 171.
 corn, 164.
 cotton, 260.
 cous, 309.
 cowpea, 173.
 currant, 98, 314.

daisy fleabane, 310.
 dandelion, 316.
 dewberry, 315.
 dock, 315.
 downy yellow violet, 316.
 Engelmann spruce, 300.
 eriogonum, 310.
 euphorbia, 310.
 European gooseberry, 314.
 evening primrose, 312.
 false Solomon's seal, 315.
 fig, 112.
 flax, 168.
 ginseng, 312.
 golden aster, 309.
 golden glow, 303.
 goldenrod, 304.
 gooseberry, 98, 310.
 prickly, 314.
 smooth, 314.
 wild, 310.
 great ragweed, 308.
 hawkweed, 311.
 hawthorn, 294.
 hedge bindweed, 310.
 hepatica, 310.
 hog peanut, 308.
 hollyhock, 304.
 horseweed, 310.
 hydrangea, 304.
 ironwood, 316.
 ivesia, 311.
 jack-in-the-pulpit, 308.
 juniper, 275.
 Kentrophyta impensa, 311.
 knotweed, 312, 313.
 locoweed, 309.
 mint, 311.
 nettle, 316.
 onion, 238.
 osmorhiza, 312.
 peach, 81.
 periwinkle, 305.
 Peucedanum graveolens, 312.
 pigweed, 309.
 piñon pine, 299.
 plum, 84.
 Poa canadensis, 174.
 pratensis, 174.
 Polygonum mühlenbergii, 313.
 Pseudotsuga mucronata, 300.
 Ptilocalais tenuifolia, 313.
 quince, 68.

raspberry, 101, 315.
 rock pine, 299.
 rose, 306, 307.
 snowberry, 315.
 Solomon's seal, 312.
 spurge, 309.
 sugar beet, 266.
 sugar cane, 264.
 sunflower, 176, 307.
 swamp saxifrage, 315.
 syringa, 307.
 tobacco, 269.
 violet, 316.
 Watson's willow, 301.
 western horse mint, 311.
 wild bergamot, 311.
 wild black currant, 314.
 wild cranesbill, 310.
 wild hyacinth, 309.
 willow, 301.
 Rutabaga, black-leg, 246.
 club root, 246.
 Ryc, anthracnose, 148.
 blight, 148.
 ergot, 149, 320.
 foot rot, 142.
 head smut, 149.
 losses, 317, 320.
 powdery mildew, 148.
 root rot, 142.
 rust, leaf, 148, 320.
 stem, 147, 320.
 stripe, 150.
 scab, 148.
 scald, 153.
 smut, 320.
 stem smut, 148.

S

Salix spp., (see willow), 301.
 watsonii, (see Watson's willow),
 301.
 Salsify, white rust, 286, 316.
 Salt injury, rose, 307.
 Sambucus canadensis, (see elder), 292.
 Saponaria officinalis, (see bouncing
 bet), 315.
 Sap rot, catalpa, 291.
 Saxifraga pennsylvanica, (see swamp
 saxifrage), 315.
 Scab, apple, 3, 337.
 apricot, 90.

- barley, 153.
 beet, 271.
 cherry, 89.
 cucumber, 252.
 mountain ash, 290.
 oats, 159.
 peach, 72.
 pear, 65.
 pecan, 113.
 peony, 305.
 plum, 84.
 potato, 196.
 rye, 148.
 spinach, 287.
 sugar beet, 266.
 walnut, 301.
 wheat, 138, 318.
- Scald, apple, 54.
 barley, 153.
Bromus inermis, 153.
 cranberry, 99.
Dactylis glomerata, 153.
 rye, 153.
- Scale rot, onion, 238.
- Scaliness, pear, 67.
- Scarlet oak, (see oak), 298.
- Schizophyllum commune*, peach, 81.
- Sclerospora graminicola*, *Chaetochloa*
italica, 175.
lutescens, 175.
viridis, 175.
philippinensis, corn, 165.
- Sclerotinia cinerea*, apple, 48.
 apricot, 90.
 cherry, 88.
 peach, 69, 335.
 plum, 82.
 quince, 69.
- fructigena*, juncherry, 295.
- libertiana*, bean, 233.
 cabbage, 244.
 carrot, 271.
 celery, 275.
 cucumber, 253.
 lettuce, 278.
 pea, 285.
- perplexa*, sunflower, 176.
- sp., apple, 48.
 Canada thistle, 176.
 Catalpa, 291.
 choke cherry, 292.
 cucumber, 253.
 iva, 176.
- juncherry, 295.
 parsley, 283.
 pear, 67.
 sow thistle, 176.
 sunflower, 175.
 tobacco, 269.
 tomato, 226.
 wild sunflower, 176.
- trifoliorum*, alfalfa, 170.
 clover, 172.
 sweet clover, 172.
 vetch, 172.
- vaccinii*, cranberry, 99.
- Sclerotium bataticola*, sweet potato, 229.
- oryzae*, rice, 166.
- rolfsii*, bean, 234.
 cabbage, 244.
 cantaloupe, 249.
 peanut, 285.
 pepper, 285.
 potato, 211, 212.
 rice, 166.
 tobacco, 270.
 tomato, 227.
- Scolecotrichum graminis*, *Hordeum*
jubatum, 175.
- Phleum pratense*, 175.
- Poa compressa*, 175.
triflora, 175.
- Scotch pine, (see pine), 299.
- Scrophularia leporella*, (see figwort), 315.
- Scurf, potato, 193.
 sweet potato, 229.
- Secale cereale*, ergot, 147.
- Seedling blight, oats, 160.
 rice, 166.
 wheat, 142.
- Seedling discase, tobacco, 270.
- Seedling rot, sequoia, 300.
- Septogloeum profusum*, elm, 293.
ulmi, (see *Mycosphaerella*
ulmi), elm, 293.
- Septoria betulac*, birch, 290.
callistephi, china aster, 302.
cannabina, hemp, 309.
chrysanthemella, (see *S. chrysan-*
themii), *chrysanthemum*, 303.
chrysanthemi, *chrysanthemum*, 303.
consimilis, lettuce, 281.
gladioli, *gladiolus*, 303.
lactucac, lettuce, 281.

- wild lettuce, 311.
 lycopersici, tomato, 214, 338.
 petroselini apii, celery, 272.
 pisi, pea, 284.
 polygonorum, *Polygonum pennsylvanicum*, 313.
 pyricola, (see *Mycosphaerella sentina*), pear, 66.
 quercicola, red oak, 298.
 rubi, blackberry, 103.
 raspberry, 101.
 wild blackberry, 315.
 scrophulariae, figwort, 315.
 sp., barley, 154.
 china aster, 302.
 dogwood, 292.
 ginseng, 312.
 spp., wheat, 146.
 ulmi, (see *Mycosphaerella ulmi*),
 elm, 293.
 viridi-tingens, wild leek, 308.
 Sequoia, seedling rot, 300.
 washingtoniana, (see sequoia),
 300.
 Service berry, (see juneberry), 300.
 Shade trees, 288.
 bibliography, 316-f.
 Sheath spot, sugar cane, 264.
 Shephordia canadensis, (see buffalo
 berry), 315.
 Shepherds purse, white rust, 309.
 Short-leaf pine, (see pine), 299.
 Shot hole, apricot, 90.
 cherry, 89.
 plum, 84.
 Silver leaf, plum, 84.
 Silver scurf, potato, 212.
 Sisymbrium officinale, (see hedge
 mustard), 315.
 sp., (see hedge mustard), 315.
 Skin spot, potato 212.
 Slime mold, strawberry, 98.
 Small fruits, 91.
 Smilacina stellata, (see false
 Solomon's seal), 315.
 Smudge, onion, 238.
 Smut, *Bromus* sp., 174.
 Chaetochloa lutescens, 174.
 corn, 160, 326.
 Elymus sp., 174.
 hepatica, 311.
 Hordeum jubatum, 174.
 lady's thumb, 313.
 oats, 154.
 onion, 235.
 palm, 305.
 Phleum pratense, 174.
 Poa pratensis, 174.
 rice, 166.
 rye, 320.
 sugar cane, 264.
 Syntherisma sanguinalis, 174.
 Snowberry, powdery mildew, 316.
 rust, 315.
 So-called take-all, wheat, 142
 Soil rot, sweet potato, 229.
 tomato, 225.
 Solidago spp., (see goldenrod), 304.
 Solomon's seal, rust, 312.
 Sooty blotch, apple, 42.
 pear, 67.
 Sooty mold, chrysanthemum, 303.
 wheat, 147.
 Sooty spot, clover, 171.
 Sorbus americana, (see mountain ash),
 290.
 Sore-shin, cotton, 260.
 Sorghum, bacterial blight, 169.
 covered kernel smut, 169.
 head smut, 169.
 leaf spot, 169.
 loose kernel smut, 169.
Sorosporium reilianum, corn, 164.
 sorghum, 169.
 South Carolina bacterial disease,
 lettuce, 281.
 Southern blight, bean, 234.
 potato, 211.
 Southern wilt, cabbage, 244.
 cantaloupe, 249.
 Sow thistle, wilt, 176.
 Soy bean, bacterial blight, 173.
 mosaic, 173.
Sphacelotheca cruenta, sorghum, 169.
 sorgho, sorghum, 169.
Sphaeria apertiuscula, elm, 294.
 patella, (see *Heterosphaeria pa-*
 tella), *Peucedanum graveolens*,
 312.
 penetrans a. patella, (see *Heteros-*
 phaeria patella), *Peucedanum*
 graveolens, 312.
Sphaeronema fimbriatum, sweet potato,
 227, 228, 332.
Sphaeropsis conglobata, birch, 293.
 juniperi, juniper, 296.

- malorum, (see *Physalospora cydoniae*), apple, 30.
 oak, 293.
 chestnut, 298.
 white, 298.
 sp., elm, 292.
 ulmicola, elm, 293.
Sphaerotheca castagnei, (see *S. humuli fuliginea*), dandelion, 316.
 humuli, beggarticks, 309.
 raspberry, 101.
 humuli fuliginea, dandelion, 316.
 waterleaf, 311.
 mors-uvae, gooseberry, 98.
 pannosa, peach, 81.
 rose, 306.
 Spinach, anthracnose, 286.
 black mold, 287.
 blight, 286.
 downy mildew, 286.
 mosaic, 286.
 Rhizoctonia sp., 287.
 root rot, 287.
 scab, 287.
 wilt, 287.
 Spindling sprout, potato, 214.
Spondylocladium atrovirens, potato, 212.
Spongospora subterranea, potato, 211.
 Spongy dry rot, apple, 60.
Sporonema oxycocci, cranberry, 99.
Sporotrichum sp., *Poa pratensis*, 175.
 Spot blotch, barley, 153.
 Spot necrosis, apple, 60.
 Spot, potato, 214.
 Spray injury, apple, 61.
 Spruce, leaf scorch, 300.
 Engelmann, rust, 300.
 Spur blight, blackberry, 104.
 raspberry, 101.
 Spurge, rust, 309.
 Squash, bacterial wilt, 253.
 mosaic, 253.
 root rot, 254.
 wilt, 254.
 Stalk rot, bacterial, corn, 165.
 Fusarium, corn, 162.
 Gibberella, corn, 162.
Steganosporium piriforme, maple, 297.
 Stem canker, tobacco, 269.
 Stem end rot, citrus, 108.
 potato, 190.
 watermelon, 255, 257.
 Stem girdle, tomato, 226.
 Stemonites, (see *Stysamus*), hemlock, 294.
 Stem rot, *Botrytis*, carnation, 302.
 golden seal, 311.
 onion, 238.
 clover, 172.
Corticium, cabbage, 244.
 potato, 193.
Fusarium, china aster, 302.
 sweet potato, 227, 332.
 geranium, 303.
Rhizoctonia, beet, 271.
 lettuce, 280.
Sclerotium, rice, 166.
 Stem rust, *Agropyron canium*, 174.
 repens, 148, 174.
 tenerum, 174.
Agrostis palustris, 174.
Avena fatua, 174.
 barley, 152, 322.
Elymus canadensis, 174.
 robustus, 174.
Hordeum jubatum, 174.
 oats, 157, 324.
Phleum pratense, 174.
 rye, 147, 320.
 wheat, 128, 318.
 Stem smut, rye, 148.
Stereum versicolor, catalpa, 291.
 maple, 297.
Sterigmatocystis niger, (see *Aspergillus niger*), onion, 239.
 Sterility, oats, 159.
Stipa viridula, ergot, 175.
 Stippen, apple, 51.
 Stone fruits, 69.
 Storage rots, apple, 60, 68.
 sweet potato, 229, 332.
 Straighthead, rice, 165.
 Strawberry, chlorosis, 97.
 crown rot, 97.
 gray mold rot, 95.
 leaf blight, 97.
 leaf blotch, 97.
 leaf scorch, 97.
 leaf spot, 94.
 leak, 96.
 nematodes, 97.
 Rhizopus rot, 96.
 root rot, 97.

- rot, 96.
 slime mold, 98.
 Streak, potato, 213.
 Stripe, barley, 151, 322.
 tomato, 225.
 Stripe rust, barley, 154.
 Hordeum jubatum, 174.
 rye, 150.
 wheat, 137.
 Stysamus, hemlock, 294.
 Sub-tropical fruits, 104.
 Sudan grass, bacterial blight, 174.
 kernel smut, 174.
 redspot, 174.
 Sugar beet, black root, 266.
 curly top, 265.
 downy mildew, 266.
 dry rot, 266.
 leaf blight, 265.
 leaf spot, *Phoma*, 266.
 Phyllosticta, 266.
 mosaic, 265.
 nematodes, 266.
 Phoma rot, 266.
 root rot, *Phoma*, 266.
 Rhizoctonia, 266.
 rust, 266.
 scab, 266.
 tip rot, 266.
 tuberculosis, 266.
 Sugar beet nematode, sugar beet,
 266.
 Sugar cane, dry top rot, 263.
 eye spot, 265.
 Fiji disease, 262.
 gumming, 263.
 iliau, 264.
 leaf spot, 264.
 mosaic, 260.
 pineapple disease, 264.
 red rot, 264.
 ring spot, 265.
 root rot, 263.
 rust, 264.
 sheath spot, 264.
 smut, 264.
 top rot, 263, 264.
 wilt, 264.
 Summer blight, tomato, 226.
 Sunflower, *Botrytis* blight, 176.
 powdery mildew, 176.
 rust, 176, 307.
 Sclerotinia perplexa, 176.
 soft rot, 176.
 wilt, 175.
 Sun scald, horse bean, 173.
 potato, 214.
 tomato, 227.
 Swamp saxifrage, rust, 315.
 Sweet clover, *Ascochyta caulicola*, 172.
 root rot, *Fusarium*, 172.
 Sclerotinia, 172.
 Sweet pea, root rot, 307.
 Sweet potato, black rot, 227, 228, 332.
 charcoal rot, 229.
 dry rot, 228.
 foot rot, 229, 332.
 Java black rot, 229.
 losses, 317, 332.
 mosaic, 229.
 pox, 229, 332.
 root knot, 229.
 root rot, 229.
 rots, 228.
 scurf, 229.
 soft rot, 229.
 soil rot, 229.
 stem rot, 227, 332.
 storage rots, 229, 332.
 white rust, 229.
 Swiss chard, leaf spot, 287.
 Sycamore, anthracnose, 300.
 powdery mildew, 300.
 root rot, 300.
Symphoricarpos occidentalis, (see wolf-
 berry), 315.
 racemosus, (see snowberry), 315.
Synchytrium decipiens, hog peanut, 308.
Syntherisma sanguinalis, smut, 174.
Syringa, rust, 307.
 spp., (see lilac), 304.
Systemma ulmi, (see *Gnomonia ulmea*),
 elm, 293.

T

- Take-all, wheat, 143.
 Tangerine, (see citrus), 109.
Taphrina cerasi, ash, 289.
 coerulescens, white oak, 297.
 Tar leaf spot, maple, 297.
 Tar spot, willow, 301.
 Tarweed, powdery mildew, 310.
Taraxicum officinale, (see dandelion).
 316.
 Temperature data, 179.

- Texas root rot, (see root rot, Ozonium), apple, 46.
 bean, 234.
 peanut, 285.
 pear, 67.
 rose, 307.
 umbrella tree, 300.
- Theobroma cacao, (see cacao), 110, 316.
- Thielavia basicola, horseradish, 245.
 pea, 284.
 sweet pea, 307.
 tobacco, 269.
 violet, 308.
- Thielaviopsis paradoxa, sugar cane, 264.
 sp., pineapple, 112.
- Thuja sp., (see arbor vitae), 289.
- Thumb-nail cracking, potato, 213.
- Tilia sp., (see basswood), 290.
 (see linden), 296.
- Tilletia horrida, rice, 166.
 laevis, wheat, 116, 318.
 tritici, wheat, 116, 318.
- Tip blight, cranberry, 99.
- Tip burn, lettuce, 280, 282.
 potato, 206, 330.
- Tip rot, sugar beet, 266.
- Tobacco, angular spot, 266, 268.
 black root rot, 269.
 black rust, 269.
 crook-neck disease, 270.
 damping off, 270.
 fertilizer burn, 270.
 frenching, 269.
 hollow stalk, 269.
 large brown spots, 269.
 leaf spot, Cercospora, 269.
 Macrosporium, 269.
 leaf spot disease, 269.
 lightning injury, 270.
 mosaic, 269, 270.
 nematodes, 270.
 root rot, 270.
 Alternaria, 270.
 Rhizoctonia, 270.
 rosette, 270.
 rust, 269.
 seedling disease, 270.
 stem canker, 269.
 white spot, 269.
 wild fire, 268.
 wilt, bacterial, 269.
- Sclerotium, 270.
 yellow french, 269.
- Tomato, anthracnose, 226.
 bacterial blight, 222.
 bacterial spot, 226.
 black spot, 227.
 blossom blight, 226.
 blossom drop, 227.
 blossom end rot, 223.
 buckeye rot, 224.
 damping off, 226.
 early blight, 219, 338.
 gray mold, 227.
 growth cracks, 227.
 late blight, 221.
 leaf mold, 226.
 leaf roll, 226.
 leaf spot, 214.
 losses, 338.
 Melanconium spot, 227.
 mosaic, 220.
 nailhead spot, 219.
 new disease, 226.
 root knot, 228.
 rot, bacterial soft, 227.
 Phoma, 224.
 Rhizopus, 225.
 Sclerotium blight, 227.
 Septoria blight, 338.
 soil rot, 225.
 stem girdle, 226.
 stripe, 225.
 summer blight, 226.
 sun scald, 227.
 wilt, bacterial, 338.
 Fusarium, 217, 338.
 winter blight, 225.
 yellow blight, 219.
- Top rot, sugar cane, 263, 264.
- Touch-me-not, leaf spot, 311.
- Tragopogon porrifolius, (see salsify), 286, 316.
- Trametes cornea, plum, 85.
- Tranzschelia punctata, hepatica, 310.
- Trifolium hybridum, (see clover), 171.
 incarnatum, (see clover), 171.
 medium, (see clover), 171.
 pratense, (see clover), 171.
 repens, (see clover), 171.
- Trillium dectinatum, (see trillium), 316.
- Trillium, leaf spot, 316.
- Tsuga sp., (see hemlock), 294.

- Tubercularia sp., dogweed, 292.
 Tuberculosis, sugar beet, 266.
 Tulip poplar, powdery mildew, 300.
 Turnip, black rot, 246.
 club root, 246.
 downy mildew, 246.
 Rhizoctonia sp., 246.
 white rust, 246.
 Twig blight, chestnut oak, 298.
 white oak, 298.
 Twig rust, ash, 289.
 Tylenchus dipsaci, clover, 172.
 strawberry, 97, 172.
 tritici, wheat, 144.

U.

- Ulmus alata, (see elm), 293.
 Americana, (see elm), 292, 293.
 campestris, (see elm), 293.
 crassifolia, (see elm), 293.
 fulva, (see elm), 293.
 glabra, (see elm), 293.
 pubescens, (see elm), 293.
 racemosa, (see elm), 293.
 serotina, (see elm), 293.
 spp., (see elm), 293.
 Umbrella tree, Texas root rot, 300.
 Uncinula ampelopsidis, (see U. necator), Ampelopsis sp., 302.
 necator, Ampelopsis sp., 302.
 grape, 92.
 wild grape, 316.
 salicis, willow, 301.
 Uredo obtusa, (see Fronmea obtusa),
 cinquefoil, 313.
 fici, (see Physopella fici),
 fig, 112.
 Urocystis agropyri, Elymus sp., 174.
 anemones, hepatica, 311.
 cepulae, onion, 235.
 occulta, rye, 148.
 tritici, wheat, 126.
 Uromyces appendiculatus, bean, 232.
 cowpea, 173.
 hog peanut, 308.
 arisaemae, jack-in-the-pulpit,
 308.
 betae, sugar beet, 266.
 brodiaeae, wild hyacinth, 309.
 caryophyllinus, carnation, 302.
 erigoni, (see U. intricatus),
 erigonum, 310.

- euphorbiae, (see U. proeminens),
 euphorbia, 310.
 spurge, 309.
 fallens, clover, 171.
 fuscatus, dock, 315.
 intricatus, eriogonum, 310.
 medicaginis, alfalfa, 170.
 polygoni, knotweed, 313.
 proeminens, euphorbia, 310.
 spurge, 309.
 punctatus, Kentrophyta impensa, 311.
 locoweed, 309.
 rudbeckiae, golden glow, 303.
 trifolii, clover, 171.
 Urtica sp., (see nettle), 316.
 Ustilago avenae, oats, 154, 324.
 bromivora, Bromus sp., 174.
 crameri, Chaetochloa lutescens, 174.
 hordei, barley, 150, 322.
 levis, oats, 154, 324.
 lorentziana, Hordeum jubatum, 174.
 neglecta, Chaetochloa lutescens, 174.
 nuda, barley, 151, 322.
 rabenhorstiana, Syntherisma sanguinal-
 is, 174.
 sacchari, sugar cane, 264.
 sp., rye, 149, 320.
 striaeformis, Phleum pratense, 174.
 Poa pratensis, 174.
 tritici, wheat, 119, 318.
 utricolosa, lady's thumb, 313.
 zeae, corn, 160, 326.

V

- Valsa ambiens, apple, 61.
 leucostoma, apple, 60.
 peach, 81.
 plum, 84.
 Vegetable crops, 177.
 Velvet bean, leaf spot, 173.
 Venturia inaequalis, apple, 3, 337.
 mountain ash, 290.
 pyrina, pear, 65.
 Verbena hastata, (see blue vervain), 316.
 Vermicularia atramentaria, (see Colle-
 totrichum atramentarium), potato,
 210.
 circinans, onion, 238.
 peckii, trillium, 316.
 Vernonia sp., (see ironweed), 316.
 Verticillium albo-atrum, okra, 283.
 potato, 196.

sp., eggplant, 278.
 maple, 297.
 Vervain, blue, powdery mildew, 316.
 Vetch, blight, 172.
 root rot, 172.
 Vinca sp., (see periwinkle), 305.
 Viola odorata, (see violet), 308.
 pubescens, (see downy yellow
 violet), 316.
 sororia, (see violet), 316.
 Violet, downy yellow, rust, 316.
 Violet, root rot, 308.
 rust, 316.
 Violet root rot, alfalfa, 170.
 potato, 212.
 Vitis sp., (see wild grape), 316.
 Volutella fructi, apple, 60.

W

Walnut, bacterial blight, 113.
 crown gall, 113, 301.
 dying back, 301.
 frost injury, 301.
 leaf spot, 301.
 Marasmius, 113.
 Marssonina, 113, 301.
 scab, 301.
 winter injury, 55, 113, 301.
 Wart, potato, 190.
 Water core, apple, 52.
 Waterleaf, powdery mildew, 311.
 Watermelon, anthracnose, 254.
 blossom end rot, 256.
 leaf blight, 257.
 leaf rot, 257.
 mosaic, 257.
 rot, 257.
 stem end rot, 255, 257.
 wilt, bacterial, 257.
 Fusarium, 256.
 Water oak, (see oak), 298.
 Watery soft rot, bean, 233.
 carrot, 271.
 celery, 275.
 cucumber, 253.
 lettuce, 278.
 Watson's willow, (see willow), 301.
 Weather of 1920, 178.
 Western horse-mint, rust, 311.
 Wheat, anthracnose, 145.
 black chaff, 145.
 blight, 138.

Fusarium, 141.
 Helminthosporium, 142.
 bunt, 116, 318.
 ergot, 146.
 flag smut, 126.
 foot rot, 142, 144.
 glume blotch, 146.
 leaf spot, 146.
 loose smut, 119, 318.
 losses, 317, 318.
 nematodes, 144.
 node disease, 147.
 powdery mildew, 147.
 root rot, 144.
 Helminthosporium, 142.
 rust, leaf, 135, 318.
 stem, 128, 318.
 stripe, 137.
 scab, 138, 318.
 seedling blight, 142.
 so-called take-all, 142.
 sooty mold, 147.
 take-all, 143.
 white heads, 145.
 winter injury, 120.
 White butt rot, maple, 297.
 White clover, (see clover), 171.
 White elm, (see elm), 292.
 White elm canker, elm, 292.
 White heads, wheat, 145.
 White oak, (see oak), 297.
 White pine blister rust control,
 316-a.
 White pine blister rust, pine, 316-a.
 Ribes americanum, 316-a.
 grossularia, 316-a.
 nigrum, 316-a.
 vulgare, 316-a.
 White rust, amaranth, 308.
 Canada thistle, 309.
 green amaranth, 308.
 hedge mustard, 315.
 marsh cress, 314.
 morning-glory, 305.
 purslane, 313.
 radish, 245.
 salsify, 286, 316.
 shepherds purse, 309.
 sweet potato, 229.
 turnip, 246.
 White spot, tobacco, 269.
 White top, alfalfa, 170.
 Wild balsam apple, powdery mildew, 310.

- Wild bergamot, rust, 311.
 Wild cranesbill, rust, 310.
 Wildfire, tobacco, 268.
 Wild gooseberry, (see gooseberry),
 310.
 Wild grape, powdery mildew, 316.
 Wild hyacinth, rust, 309.
 Wild leek, leaf spot, 308.
 Wild lettuce, leaf spot, 311.
 Wild sunflower, wilt, 176.
 Willow, canker, 301.
 leaf blight, 301.
 powdery mildew, 301.
 rust, 301.
 tar spot, 301.
 Willow, Watson's, rust, 301.
 Wilt, bacterial, cantaloupe, 246.
 corn, 163.
 cucumber, 249.
 eggplant, 278.
 pepper, 285.
 potato, 196.
 pumpkin, 253.
 squash, 253.
 tobacco, 269.
 tomato, 338.
 watermelon, 257.
 catalpa, 291.
 Cephalosporium, sugar cane, 264.
 Fusarium, banana, 111.
 cantaloupe, 249.
 carnation, 302.
 china aster, 302.
 clover, 172.
 cotton, 258, 334.
 cowpea, 173.
 cucumber, 253.
 flax, 166.
 okra, 282.
 pepper, 285.
 potato, 188, 330.
 spinach, 287.
 squash, 254.
 tomato, 217, 338.
 watermelon, 256.
 pineapple, 112.
 potato, 190.
 Sclerotinia, Canada thistle, 176.
 catalpa, 291.
 iva, 176.
 sow thistle, 176.
 sunflower, 175.
 wild sunflower, 176.
 Sclerotium, cabbage, 244.
 cantaloupe, 249.
 pepper, 285.
 tobacco, 270.
 Verticillium, eggplant, 278.
 maple, 297.
 okra, 283.
 potato, 196.
 Wilted condition, celery, 277.
 Winter blight, tomato, 225.
 Winter injury, apple, 55.
 apricot, 55, 90.
 artor vitae, 289.
 asparagus, 271.
 blackberry, 104.
 cherry, 55, 89.
 chestnut, 55.
 currant, 98.
 forest trees, 57.
 gooseberry, 98.
 grape, 93.
 juniper, 296.
 loganberry, 57, 104.
 maple, 297.
 mountain ash, 290.
 oak, 57.
 peach, 55, 81.
 pear, 67.
 plum, 85.
 privet, 306.
 prune, 56.
 raspberry, 103.
 rose, 307.
 walnut, 113, 301.
 wheat, 120.
 Witches broom, ash, 289.
 black locust, 296.
 cherry, 89.
 hackberry, 294.
 hickory, 295.
 white oak, 298.
 Witch-hazel, leaf spot, 301.
 Wither tip, citrus, 106.
 limes, 107.
 Wolfberry, powdery mildew, 315.
 Wood rot, plum, 84.
- X
- Xylaria, apple, 46.
- Y
- Yellow blight, tomato, 219.
 Yellow french, tobacco, 269.

Yellow leaf blotch, alfalfa, 170.

Yellows, alfalfa, 170.

cabbage, 240.

celery, 276.

china aster, 302.

kale, 245.

peach, 78.

raspberry, 100.

ERRATA AND EXPLANATION

Page

- 11 Read "Arkansas (Elliott)" instead of "North Carolina (Elliott)". Done
- 36 Read "Arkansas (Elliott)" instead of "Alabama (Elliott)". Done
- 77 Line 26, read "1%" instead of "10%". Done
- 84 and 88 Read "Podospaera oxyacanthae" instead of "Podospaera oxyacanthae". Done
- 85 Read "Penicillium" instead of "Penicilium". Done
- 103 Read "Gymnoconia" instead of "Gymnosconia". Done
- 148 Read "Urocystis occulta" instead of "Urocystis oculata". Done
- 174 Under headings Rusts and Smuts, read "Hordeum jubatum" instead of "Hordeum jabatum".
Read "Ustilago lorentziana" instead of "Ustilago lorentiziana". Done
- 175 Under Claviceps purpurea, read "Phleum pratense" instead of "Phelum pratense". Done
- 224 Read "Phytophthora terrestris" instead of "Phytophthora terrestria". Done
- 229 Read "Cystospora batata" instead of "Cytospora batata". Done
- 237 Read "Fusarium malli" instead of "Fusarium mallii". Done
- 238 Read "Heterodera raditicola" instead of "Heterodera raditicila". Done
- 279 Downy mildew of Lettuce, read "Phytophthora" instead of "Phythphthora". Done
- 284 Read "Phytophthora cactorum" instead of "Phythphthora cactorum". Done
- 289 Read "Amelanchier" and "Amelanchier sp." instead of "Amalanchier". Done
Arbor vitae read "Pestalozzia" instead of "Pestallozia". Done
- 290 After Leptothyrium sp. on birch insert as heading "Buckeye (Aesculus glabra)". Done
- 293 Read "Ulmus campestris" instead of "Ulmus compestris". Done
- 296 Read "Polyporus gilvus" instead of "P. glivus" on black locust. Done
- 297 Line 1, read "A. saccharinum" instead of "A. saccharimum". Done
- 300 Sequoia, read "Botrytis douglasii" instead of "Botrytis douglassi". Done
- 301 Willow, read "Rhytisma salicinum" instead of "Rhytisma salicium". Done

Page

- 302 Aster, read "Fusarium conglutinans callistephi" instead of "Fusarium conglutinans callestephi". *Done*
- 303 Evonymus, read "Exosporium concentricum" instead of "Exosporium concentrichum". *Done*
- 304 Iris, read "Bacillus carotovorus" instead of "Bacillus caratovorus". *Done*
Read "Althaea" instead of "Althea". *Done*
- 305 Date palm, read "Exosporium palmivorum" instead of "Exosporium palmovorum". *Done*
- 307 Read "Actinonema" instead of "Actinomena". *Done*
- 308 Read "Ambrosia artemisiaefolia" instead of "Ambrosia artimisifolia". *Done*
- 309 Read "Chenopodium" instead of "Chenodopium". *Done*
- 310 Gooseberry, read "Cronartium" instead of "Cronarticum". *Done*
- 311 Read "Hydrophyllum" instead of "Hydrophyllus". *Done*
- 312 Plantain, read "Ramularia plantaginis" instead of "Ramularia plantagoinis". *Done*
- 313 Purslane, read "Albugo portulacae" instead of "Albugo portulacens". *Done*
Read "Potentilla pulcherrima" instead of "Potentilla pulcherrina". *Done*
- 314 Read "Ribes oxyacanthoides" instead of "Ribes oxycanthoides". *Done*
- 315 Rubus sp., read "Septoria rubi" instead of "Septoria ribi". *Done*
Read "Symphoricarpos" instead of "Symphoricarpus". *Done*
- 334 Read "Colletotrichum gossypii" instead of "Colletotrichum gossypsii". *Done*
- 336 Read "Phyllosticta solitaria" instead of "Phyllosticta soliteria". *Done*
- 337 Read "Bacillus amylovorus" instead of "Baoullus amylororus". *Done*

Mr. G. M. Darrow,
Horticulture & Pomology,
Bureau of Plant Industry.

edr

